

Product Description

□□□□□	□□□□□□□□□□□□□□□□
□□□	SD3061
□□□□□□□	□□□□□□□□□□ □□□PU□□□□
□□□	1.□□□□□□□□□□200□□□□□□□□ 2.□□□□non□
□□□	1□ □□□□ □□□ □ □□ 1100 □□□□ 2□ □ □ □ □□
□□□	1.2□□/□□
□□	□□□□□□□□□□
□□	□□□□□□□□□□□□
□□□	□□EVA□HI-POLY□PU□□□□□□□□□□□□□□□□
□□□	PU□□
□□□	□□□□
□□□	37-47□3-13□
□□□	□□CE EN ISO 20345 S1P SRC□□□□□□
□□□	6□□
□□	□C 1□□□□□□□□□□□□10□□
□□□□	59 x 44 x 33□□
□□□□□□□	3200pairs / 1x20'□□ 6400pairs / 1x40'□□

Product Pictures





Company Information



Intertek

EC Type Examination Certificate



Issued to: FUJIAN HONGJIAN SHISEI CO., LTD.
SHANGHAI INDUSTRIAL ZONE, JIANGNAN TOWN, NINGBO
321117, ZHEJIANG PROVINCE, CHINA

Authorised Representative: HANDESHI SHANGHAI SAFETY PRODUCTS MFG. CO., LTD.
1201 Village, Suzhou Town, Jiangsu Economic Zone,
Hangzhou Province, China

Date of Issue: 11 January 2018

Expiry Date: 11 February 2020

Certificate No.: L20170002947 (extension of certificate L20170004199)

Product Reference(s): Safety Valve
48501-08010
48502-08024
48503-08018
48504-08019
800 200 300 400

Description:

Construction:	Wettable
Trim:	Steel valve
Material:	Steel valve
End:	ISO
Size:	800 (Flange)
Mount:	ACG
Test Standard:	EN 12286-2 Part
Test Range:	0.6 MPa
Category:	001-010

C.M. 168122947

 **Product Approval** 168122947

Intertek Testing Services (UK) Limited, 35 Littleport Way, Lutterworth, Leicestershire, LE15 1RH, UK
Intertek Testing Services (USA) Inc., 1901 Aviston Road, Des Plaines, Illinois, 60018, USA
Intertek Testing Services (AS) Pty Ltd, 1501 26th Avenue, Torrance, California, 90501, USA
Intertek Testing Services (India) Pvt. Ltd., 3rd Floor, Midc, Chakan, Pune District, Maharashtra - 411 006, India



Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY