

Product Description

CE	CE PU
Model	SJ0196
Material	PU
Weight	1. 200g 2. non
Dimensions	1. 1100 2. 1100
Thickness	1.2mm
Color	
Texture	
Application	
Material	HI-POLY PU
Material	PU
Material	
Material	37-47 3-13
Material	CE EN ISO 20345 S1P SRC
Material	6
Material	10
Material	59 x 44 x 33
Material	3200pairs / 1x20' 6400pairs / 1x40'

Product Pictures





Company Information



Intertek

EC Type Examination Certificate



Issued to: FUJIAN HONGJIAN SHISEI CO., LTD.
SHANGHAI INDUSTRIAL ZONE, JIANGNAN TOWN, NINGBO
3151, ZHEJIANG PROVINCE, CHINA

Authorised Representative: HANDESHI SHANGHAI FUJIAN SHISEI CO., LTD.
1201 Village, Zhongyuan Road, Jiangyin District, Suzhou,
Henan Province, China

Date of Issue: 11 January 2018

Expiry Date: 11 February 2020

Certificate No.: L20170002947 (extension of certificate L20170004198)

Product Reference(s): Safety Valve
48501-08602
48502-08604
48503-08606
48504-08608
48505-08610
850 200 300 400

Description:

Construction	Wettable
Trim	Steel valve
Material	Steel valve
End	ISO
Size	800 (Flange)
Mount	AS
Test Standard	EN 10606 Part 1
Test Range	20-40
Category	850-400

C.M. 1587-02947

 **Product Approval** 1587-02947

Intertek Testing Services (UK) Limited



Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY