

Product Description

□□□□	□□□□□□□□□□□□□□
□□□	SJ0210
□□□□□□	□□□□□□ □□□PU□□□□□□
□□□	1.□□□□□□□□□□200J
	2.□□□□□□□□
□□□	1.□□□□□□1100□□□□□□□□
	2.□□□□□□□□
□□	PU□□□□
□□	PU□□□□□□□□
□□	□□□□□□□□□□□□
□□□	□□□□□□EVA□□□□□□□□□□□□□□□□□□
□□□	PU□□
□□□	□□□
□□□	4-12□□38-46□
□□□	S3 SRC□□□□
□□□	6□□
□□	□□□□□□□□□□□□10□□
□□□□	59 x 44 x 33□□
□□□□□□□□	3200pairs / 1x20'□□ 6400pairs / 1x40'□□

Product Pictures





Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY

2020 INTERSEC

SAFETY SHOES & RAIN BOOTS PROFESSIONAL

