

## Product Description

Material	SMR12
Material	PU / PU
Material	200 ASTM F2413-18 M I / 75 C / 75 CE EN ISO 20345 PU
Material	1100 ASTM F2413-18 M I / 75 C / 75 CE EN ISO 20345 PU
Material	CE
Material	PU
Material	PU
Material	PU
Material	EVA HI-POLY PU
Material	PU
Material	PU
Material	38-46
Material	6
Material	PU/PU/PU
Material	1000-10000 58.5 x 40 x 32.5
Material	3200pairs / 1x20' 6400pairs / 1x40'

## Product Pictures





# Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection



# SAFETY SHOES TEST



**Toecap Test  $\geq 200$  Joules**



**Midsole Test  $\geq 1200$  Newtons**



**ESD Anti-Static Test**



**Tear Strength  $\geq 120$ N**



**Bondness Test  
 $\geq 4.0$ N/mm**



**Flex Tester  $\geq 36,000$ T**

# Canton Fair



## SAFETY SHOES



## RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY