

Product Description

CE	CE EN ISO 20345 S1-P SRC
Model	SU024
Material	Air mesh 3D fly knit fabric & split cow leather PU sole
Features	1. Composite toe cap 200 Joules 2. Slip-resistant
Weight	1. Weight: 1100g 2. Weight: 1100g
Outsole	3D
Upper	Mesh
Midsole	EVA
Insole	EVA
Size	37-47
Standard	CE EN ISO 20345 S1-P SRC
Color	Black
Material	PU
Weight	1100g
Dimensions	58.5 X 40 X 32.5 CM
Quantity	3300 / 1x20" / 6600 / 1x40"

Product Pictures



200 JOULE
TOECAP



SLIP-
RESISTANT



SHOCK
ABSORPTION



ANTI-STATIC



PETROL AND
CHEMICAL
RESISTANT



ANTI-NAIL
MIDSOLE



OIL
RESISTANT



[PRODUCTION PROCESS]



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY

2020 INTERSEC

SAFETY SHOES & RAIN BOOTS PROFESSIONAL

