

Product Description

Model	TM012L
Material	PU/ PU
Weight	1.0 kg
Color	Black
Size	36-47
Standard	CE EN ISO 20345:2011 S1-P SRC
Features	6mm soft air mesh fabric lining for a comfort fit
Outsole	EVA
Upper	PU
Midsole	PU
Toe Cap	200 Joule
Slip Resistance	Oil Resistant
Shock Absorption	Anti-Nail Midsole
Anti-Static	Petrol and Chemical Resistant
Petrol and Chemical Resistant	Oil Resistant
Anti-Nail Midsole	
Oil Resistant	
Quantity	3300 / 1x20" / 6600 / 1x40"
Dimensions	58.5 x 40 x 32.5 cm

Product Pictures



200 JOULE
TOECAP



SLIP-
RESISTANT



SHOCK
ABSORPTION



ANTI-STATIC



PETROL AND
CHEMICAL
RESISTANT



ANTI-NAIL
MIDSOLE



OIL
RESISTANT





Company Information

Our PVC safety shoes are certified to ISO 9001:2015 and CE ENISO 20345:2011. They are also compliant with ASTM F2413-18 and feature PPE (Personal Protective Equipment) for safety. Additional features include slip resistance, oil resistance, and other safety features.

Our safety shoes are designed to provide maximum protection and comfort for your feet.

TIGER MASTER OFFICE SHOW



TIGER MASTER SAMPLE ROOM



SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

PERSONAL PROTECTIVE EQUIPMENT WORK SAFETY SOLUTION PROVIDER



Safety Work Shoes

[View More](#)



PVC Rain Boots

[View More](#)



Military Army Boots

[View More](#)



Rain Coat/ Suit

[View More](#)



Work Garments

[View More](#)



Reflective Safety Vest

[View More](#)



Safety Work Gloves

[View More](#)



Safety Helmets

[View More](#)



Safety Harness

[View More](#)



[View More](#)



Traffic Cone

[View More](#)



Warning Tape

[View Details](#)