Product Description

□□□□□	□□□□□□□□□□□□□□□□□□□□□□
□□□	TM0225
□□□□□□	□□□□□□□ □□□□□□□PU & □□
□□□	1.□ □□ □□□ 200 □□□□□□□□□□□□□□□□□□□
	2. □□□□□ □
□□□	1.□□□□□□□□□□□□□ 1100 □□□ □□□□□□□□□□□□□□□□□□□□□□□
	2. □□□□□
□□□	□□□□□□□□
□□□	□□□□
□□□	□□ □□□□ □□ □□ □□
□□ □	□□□ □□ HI-POLY □□ □□ □□ □□ □□ □ □□ □□□
□□□	□□
□□□	□□□
□□□	36-47
□□□	CE EN ISO 20345 SB-P SRC □ □□ □O1□ O2□ O3□ SB□ S1□ S1-P S2□ S3□□
□□□	6□□ □□□□□□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□
□□□	□□□300□□□/ □/ □/ □□/ □□/ □□/ □□□ □ □□ □□□ □□□ □□□ □ □□ □□□
□□□	1 pairs color box□ 10pairs per carton□□□□□ 59 x 44 x 33 cm
□□□□□□□□	3200 □ /1x20" □□ 6400 □ /1x40 □□

Product Pictures

FEATURES

Impact resistant toe cap

You can count on comfort and protection, no matter the toe type you choose

Eyelets and laces

Corrosion- resistant, clearly visible reflective

Breathable lining

Breathable and comfortable, premium performance

Durable rubber outsole

Abrasion, tear and flexing resistance, heat insulation

PACKING

COMPANY INFORMATION TIGER MASTER

□□□□□ □□□□PVC□□□□□□□□□□□□ ISO 9001:2015 □□□□□□□□□□□□□□□□□□□□□□□□□ CE ENISO 20345:2011 □ ASTM F2413-18 □□□□□□□□□□□□□□□ **PPE**□□□□□□□□ □□□□□□□□□ □□□□□□□□□□□□ □□□□, □□/□□, □□□y□□, □□/□□ ETC.

□□

TIGER MASTER OFFICE SHOW



TIGER MASTER SAMPLE ROOM





SAFETY SHOES TEST

Toecap Test≥200 Joules

Midsole Test≥1200 Newtons

ESD Anti-Static Test

Tear Strength ≥120N

Bondness Test
≥4.0N/mm

Flex Tester ≥ 36,000T

Production Process

Raw Materials

Punching

Cutting

Sewing

Eyeletting

Riveting

Heat - Setting

Molding

Making up

Inspection

Packing

Finished Goods

Personal Protective Equipment
Work safety solution provider

Safety Work Shoes

View More

PVC Rain Boots

View More

Military Army Boots

View More

Rain Coat/ Suit

View More

Work Garments

View More

Reflective Safety Vest

View More

Safety Work Gloves

View More

Safety Helmets

View More

Safety Harness

View More

Ear muff/ Plugs

View More

Safety Goggles

View More

Warning Tape

View Details