DESCRIPTION

TIGER MASTER

30 00000 HI-POLY 00000000000000

4. [[PU [][] CE EN ISO 20345:2011 [][][][]

S1[] SB[][][] **S1P**[] S1[][] **S2**[] S1[][] **S3**[] S1P[][]

	TM174			
	1. 0000000 200 00000			
	2non _			
	1. 0000000 1100 000			
	2non			
000000				
000				
000	000 00 HI-POLY00 00 000 00 00 00			
000				
	36-47			
	CE EN ISO 20345 S3 SRC [[[[
	מסססססס מסססססס מסססססס עס עס עס עס עס עס עס עס עס אס אס			
000	□□□ 1 □□□□ 10 □□□□□□59 × 44 × 33 □□			
0000000	3200 /1x20"			

PRODUCT PICTURES

TIGER MASTER







RESISTANT



SHOCK





ANTI-STATIC PETROL AND CHEMICAL RESISTANT



ANTI-NAIL MIDSOLE



OIL RESISTANT













COMPANY INFORMATION

TIGER MASTER







TIGER MASTER OFFICE SHOW





TIGER MASTER SAMPLE ROOM





SAFETY SHOES TEST





Toecap Test≥200 Joules



Midsole Test≥1200 Newtons



ESD Anti-Static Test



Tear Strength ≥120N



Bondness Test ≥4.0N/mm



Flex Tester ≥ 36,000T





TIGER MASTER®
Safety Shoes | Rain Boots



PERSONAL PROTECTIVE EQUIPMENT WORK SAFETY SOLUTION PROVIDER

Link to PPE products website https://china-workwear.com























