

Product Description

Model	TM2013
Material	200µm 1100µm
Material	ASTM F2413-18 M I / 75 C / 75 CE EN ISO 20345 SBP SRC
Material	ASTM F2413-18 M I / 75 C / 75 CE EN ISO 20345 SBP SRC
Material	CE EN ISO 20345 SBP SRC
Material	D
Material	Pu
Material	Pu
Material	EVA HI-POLY
Material	
Material	
Material	38-46
Material	5. 1000
Material	S. 1000/1000/1000
Material	1000 1000 58.5 x 40 x 32.5 cm
Material	3300PAIR / 1x20' 6600PAIR / 1x40'

Product Pictures





TIGER MASTER SAFETY SHOES

Your safety is our concern



Steel toe cap
Impact resistant

Comfortable Insoles
Breathable



Natural Rubber Sole
Oil & acid & slip resistant

Steel plate
Puncture Resistant

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY