

Product Description

Model	2021
Part Number	TM216B-L.
Material	<ul style="list-style-type: none"> PU / PU
Weight	<ul style="list-style-type: none"> 1. 200 2.
Dimensions	<ul style="list-style-type: none"> 1. 1100 2.
Color	
Material	Pu
Material	
Material	
Material	PU
Material	
Material	37-47
Material	CE EN ISO 20345 2011 S1-P SRC
Material	6
Material	c 1 color 10
Dimensions	58.5 x 40 x 32.5 cm
Material	<ul style="list-style-type: none"> 3300PAIR / 1x20' 6600PAIR / 1x40'

Product Pictures





[PRODUCTION PROCESS]



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY