

Product Description

Model	TM219
Material	PU/ PU
Weight	1. 200g
Length	1. 1100mm
Width	37-46
Standard	CE EN ISO 20345:2011 SB-P SRC
Quantity	1 pairs per c 10
Dimensions	59 x 44 x 33 CM
Options	3200 /1x20" / 6400 /1x40"

Product Pictures



200 JOULE
TOECAP



SLIP-
RESISTANT



SHOCK
ABSORPTION



ANTI-STATIC



PETROL AND
CHEMICAL
RESISTANT



ANTI-NAIL
MIDSOLE



OIL
RESISTANT





PACKING



COMPANY INFORMATION

TIGER MASTER

本公司 採用 [PVC](#) 材料 通過 ISO 9001:2015 國際標準認證 符合 CE ENISO 20345:2011 及 ASTM F2413-18 安全標準 採用 [PPE](#) 材料 通過 各種 安全 認證 如 CE, EN ISO, ASTM, etc.

本公司 產品 均 符合 國際 安全 標準 及 認證 要求 歡迎 各界 人士 垂詢 洽談。



TIGER MASTER OFFICE SHOW



TIGER MASTER SAMPLE ROOM



SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY

PERSONAL PROTECTIVE EQUIPMENT WORK SAFETY SOLUTION PROVIDER



Safety Work Shoes

[View More](#)



PVC Rain Boots

[View More](#)



Military Army Boots

[View More](#)



Rain Coat/ Suit

[View More](#)



Work Garments

[View More](#)



Reflective Safety Vest

[View More](#)



Safety Work Gloves

[View More](#)



Safety Helmets

[View More](#)



Safety Harness

[View More](#)



[View More](#)



Traffic Cone

[View More](#)



Warning Tape

[View Details](#)