

Product Description

Model	TM232
Material	Upper: PU/ PU Sole: PU
Weight	1. 200g (per shoe) 2. 400g (per pair)
Height	1. 110mm 2. 120mm
Color	Black
Size	37-46
Standard	CE EN ISO 20345:2011 SB-P SRC
Features	6mm Anti-static
Quantity	1 pair per c 10
Dimensions	59 x 44 x 33 cm
Packaging	3200 /1x20" 6400 /1x40"

Product Pictures



200 JOULE
TOECAP



SLIP-
RESISTANT



SHOCK
ABSORPTION



ANTI-STATIC



PETROL AND
CHEMICAL
RESISTANT



ANTI-NAIL
MIDSOLE



OIL
RESISTANT





Company Information


Our products are made of **PVC** and comply with ISO 9001:2015 and CE ENISO 20345:2011 and ASTM F2413-18 standards. We also offer **PPE** products that meet various safety requirements, including safety shoes, safety boots, safety sandals, safety slippers, etc.

Our products are available in various sizes and colors. We also offer custom-made products for your business.

TIGER MASTER OFFICE SHOW



TIGER MASTER SAMPLE ROOM



SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY

2020 INTERSEC

SAFETY SHOES & RAIN BOOTS PROFESSIONAL



PERSONAL PROTECTIVE EQUIPMENT WORK SAFETY SOLUTION PROVIDER



Safety Work Shoes

[View More](#)



PVC Rain Boots

[View More](#)



Military Army Boots

[View More](#)



Rain Coat/ Suit

[View More](#)



Work Garments

[View More](#)



Reflective Safety Vest

[View More](#)



Safety Work Gloves

[View More](#)



Safety Helmets

[View More](#)



Safety Harness

[View More](#)



Ear muff/ Plugs

[View More](#)



Safety Goggles

[View More](#)



Warning Tape

[View Details](#)