

Product Description

Model	TM235
Material	PU/ PU
Weight	1. 200g
Length	1. 110cm
Width	36-47
Standard	CE EN ISO 20345:2011 S1-P SRC
Color	Black
Quantity	1 pairs per c
Dimensions	59 x 44 x 33 cm
Weight	3300g / 1x20" / 6600g / 1x40"

Product Pictures



200 JOULE
TOECAP



SLIP-
RESISTANT



SHOCK
ABSORPTION



ANTI-STATIC



PETROL AND
CHEMICAL
RESISTANT



ANTI-NAIL
MIDSOLE



OIL
RESISTANT






Company Information

Our products are made of PVC and comply with ISO 9001:2015, CE EN ISO 20345:2011, ASTM F2413-18, and are made of **PPE** (Personal Protective Equipment) materials. They are suitable for use in various environments, including industrial, construction, and agricultural settings. ETC.

Our products are made of PVC and comply with ISO 9001:2015, CE EN ISO 20345:2011, ASTM F2413-18, and are made of PPE (Personal Protective Equipment) materials. They are suitable for use in various environments, including industrial, construction, and agricultural settings. ETC.

TIGER MASTER OFFICE SHOW



TIGER MASTER SAMPLE ROOM



SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY