

DESCRIPTION

TIGER MASTER

1. 本報告係根據本會所屬之「**PU**」之調查結果而整理。
 2. 本報告係根據本會所屬之「**CE**」之調查結果而整理。
 3. 本報告係根據本會所屬之「**HI-POLY**」之調查結果而整理。
 4. 本報告係根據本會所屬之「**PU**」之調查結果而整理。
 5. 本報告係根據本會所屬之「**3D**」之調查結果而整理。
 6. 本報告係根據本會所屬之「**SB**」之調查結果而整理。
- 本報告係根據本會所屬之「**S1**」之調查結果而整理。
- 本報告係根據本會所屬之「**S1P**」之調查結果而整理。
- 本報告係根據本會所屬之「**S2**」之調查結果而整理。
- 本報告係根據本會所屬之「**S3**」之調查結果而整理。
- 本報告係根據本會所屬之「**S1P**」之調查結果而整理。

品名	TM3133
品名	3D PU
品名	1. 品名“3D” 200 品名
	2. 品名non
品名	1. 品名品名品名品名1100品名
	2. 品名non
品名	品名
品名	品名品名 品 品 品 品
品名	品名 品 HI-POLY 品 品 品 品 品 品
品名	品名
品名	品名
品名	36-47
品名	CE EN ISO 20345 SB-P SRC 品名
品名	6品名 品名品名品名6品名品名品名品名品名 品名品名
品名	品名/ 品名/ 品名/ 品名/ 品名/ 品名 品名品名品名 品名品名品名品名品名
品名	品名 1 品名 10 品名品名 58.5 x 40 x 32.5 品名
品名品名品名	3300 品名 /1x20" 品名 6600 品名 /1x40 品名

PRODUCT PICTURES

TIGER MASTER



200 JOULE
TOECAP



SLIP-
RESISTANT



SHOCK
ABSORPTION



ANTI-STATIC



PETROL AND
CHEMICAL
RESISTANT



ANTI-NAIL
MIDSOLE



OIL
RESISTANT



TIGER MASTER®



3D Fly Knit Fabric Upper

Abrasion Resistant
Supported Counterpart

Soft Mesh Fabric Lining

Wide Fitting
Composite Toe cap



Superior Comfortable
Memory Foam Insoles

Anti Static Performance



Anti-nail Penetration Midsole

Shock Absorption
Dual Density PU Sole







[illegible]

TIGER MASTER OFFICE SHOW



TIGER MASTER SAMPLE ROOM



SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

TIGER MASTER®

Canton Fair



TIGER MASTER®
Safety Shoes | Rain Boots



PERSONAL PROTECTIVE EQUIPMENT WORK SAFETY SOLUTION PROVIDER

Link to PPE products website <https://china-workwear.com>



Safety Work Shoes

[View More](#)



PVC Rain Boots

[View More](#)



Military Army Boots

[View More](#)



Rain Coat/ Suit

[View More](#)



Work Garments

[View More](#)



Reflective Safety Vest

[View More](#)



Safety Work Gloves

[View More](#)



Safety Helmets

[View More](#)



Safety Harness

[View More](#)



Ear muffs/ Plugs

[View More](#)



Safety Goggles

[View More](#)



Warning Tape

[View Details](#)