Product Description

产品名称:	高脚踝正品皮革防水金属无油工业安全靴
编号:	TM7005.
上部和鞋底:	上部：疯狂马皮革 鞋底：PU和橡胶
脚趾:	1.复合脚趾帽抗冲击200焦耳。在没有危险的情况下保护你的脚脚趾。
	2.没有提供。
中底:	1.非金属防渗鞋面抵抗抗性1100牛顿。保护你的脚没有被钉子或尖锐物体穿刺
	2.也提供了非
衣领:	高密度牛津织物
舌头:	高密度牛津织物
衬垫:	软空气网格和防水袜子里面（它将保持脚踏实地）
袜子:	以塑造的Hi-Poly或其他人为您的要求（大大减少您的脚疼痛和日常工作疲劳）
建造:	注射
高度:	高脚踝
尺寸:	欧元38-47
标准:	CE EN ISO 20345: 2011 S3 SRC或其他人。
保证:	6个月
包裹:	每c 1对olor内箱包装，纸箱中的10对。
纸箱尺寸	59 x 44 x 33 cm
容器的负载量:	3200PAIRS / 1x20'容器 6400PAIRS / 1x40'容器

Product Pictures

MASTER®
TY SHOES
TIGER MASTER®

TIGER MASTER®

EU TYPE
EXAMINATION
CERTIFICATE

intertek

CE

APPROVED BODY DIRECT

Issued to	[illegible]
Issue Date	[illegible]
Expiry Date	[illegible]
Certificate No.	[illegible]
Product Reference(s)	[illegible]
Description	Construction : Injection Toecap : Composite Toecap [illegible] : [illegible] Lace : [illegible] Sole : [illegible] Mould : [illegible] Test Report(s) : [illegible] Size Range : [illegible] Category : [illegible]

Signature: [illegible] Date: [illegible]

Certification Manager: [illegible] Date: [illegible]

For and on behalf of TÜV Testing Services (UK) Limited

EWC

Certificate of Quality Management System

Certificate No.: [illegible]

Certified that

Harbin Ana Safety Products Mfg., Co., Ltd.

[illegible]

Has established a Quality Management System which is in Accordance with the Requirements of the Standard:

GB/T 19001-2016/ISO 9001:2015

SCOPE OF CERTIFICATION

Manufacture and Sales of Polyvinyl Chloride (PVC)

Protective Rain Boots (Except for Production License Products)

Expiry of Certificate for Last Cycle: Mar. 9, 2020
Validity of Certification: May 7, 2020 To: Mar. 9, 2023
Effective Date of the Certificate: May 7, 2020

[illegible]

EWC: [illegible]

ANAB IAF

EU TYPE
EXAMINATION
CERTIFICATE

intertek

CE

APPROVED BODY DIRECT

Issued to	HARBIN ANA SAFETY PRODUCTS MFG. CO., LTD. LINN VILLAGE, KINHUA TOWN, ACHENG DISTRICT, HARBIN, HEILONGJIANG PROVINCE, CHINA
Issue Date	[illegible]
Expiry Date	[illegible]
Certificate No.	[illegible]
Product Reference(s)	[illegible] SAFETY BOOTS
Description	Construction : INJECTION Toecap : [illegible] Midsole : [illegible] Lace : [illegible] Sole : [illegible] Mould : [illegible] Test Report(s) : [illegible] Size Range : [illegible] Category : [illegible]

Signature: [illegible] Date: [illegible]

Certification Manager: [illegible] Date: [illegible]

For and on behalf of TÜV Testing Services (UK) Limited

[PRODUCTION PROCESS]

Raw Materials

Punching

Cutting

Sewing

Eyeletting

Riveting

Heat - Setting

Molding

Making up

Inspection

Packing

Finished Goods

SAFETY SHOES TEST

Toecap Test≥200 Joules

Midsole Test≥1200 Newtons

ESD Anti-Static Test

Tear Strength ≥120N

Bondness Test
≥4.0N/mm

Flex Tester ≥ 36,000T

Canton Fair

SAFETY SHOES

RAIN BOOTS

PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY