

## Product Description

00000	0000000000000000
000	TMC003
0000000	0000000000000000 000000000000
000	1.000000002000000
	2.0000non0
000	1.0000000000001100000
	2.0000non0
00	00000000
00	000000000000
00	000000000000000000000000
000	00EVA0HI-POLY0PU0000000000000000000000
000	000
000	000
000	0036-460002-120
000	CE EN ISO 20345 SB-P000
000	600
000	00000000000000000000000000000000
00	00001000010000058.5 x 40 x 32.500
00000000	3300pairs / 1x20'0000 6600pairs / 1x40' 00

## Product Pictures





# Canton Fair



## SAFETY SHOES



## RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY

# SAFETY SHOES TEST



**Toecap Test  $\geq 200$  Joules**



**Midsole Test  $\geq 1200$  Newtons**



**ESD Anti-Static Test**



**Tear Strength  $\geq 120$ N**



**Bondness Test  
 $\geq 4.0$ N/mm**



**Flex Tester  $\geq 36,000$ T**

# SHOES MATERIALS



**Genuine Cow Leather**



**CE Steel Toecap**



**CE Steel Plate**



**Composite Toecap**



**Different Eyelets**



**Durable Lace**



**Breathable Lining**



**Comfortable Insoles**



**PU or RUBBER or TPU soles**