

Product Description

00000	00EVA0000000000000000
000	TMC013
0000000	000KPU0000000 000EVA0000MD000
000	1.00000000000000002000000000
	2.0000non0
000	1.00000000000000001100000
	2.0000non0
00	KPU
00	00000
00	0000000000000000000000000000000000
000	00EVA0HI-POLY0PU0000000000000000000000000000000000
000	000
000	000
000	0036-460002-120
000	CE EN ISO 20345 S1-P SRC000
000	600
00	0000100001000
00000	58.5x40x32.500
00000000	3300pairs / 1x20'0000 6600pairs / 1x40'00

Product Pictures





Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

SHOES MATERIALS



Genuine Cow Leather




CE Steel Toecap



CE Steel Plate



Composite Toecap



Different Eyelets



Durable Lace



Breathable Lining



Comfortable Insoles



PU or RUBBER or TPU soles