

# Product Description

Brand	Tiger “A” “B” “C” “D” “E” “F”
Model	TMC4006
Material	High density polyethylene Polypropylene
Color	Black / White / Blue / Red / Orange / Green ASTM F2413-18 M I / 75 C / 75 CE EN ISO 20345 Safety toe
Weight	High density polyethylene 1100g / pair ASTM F2413-18 M I / 75 C / 75 CE EN ISO 20345 Safety toe
Gender	Men
Season	Summer
Style	Safety shoe
Toe Protection	Metatarsal guard
Anti-static	Anti-static
Upper Material	High-Poly PU
Outsole	Anti-static
Weight	38-46
Width	6
Weight	Weight / Volume / Dimensions
Weight	Weight 1 pair 10 pairs 58.5 x 40 x 32.5 cm
Quantity	3300pairs / 1x20' container 6600pairs / 1x40' container

# Product Pictures





# SAFETY SHOES TEST



**Toecap Test  $\geq 200$  Joules**



**Midsole Test  $\geq 1200$  Newtons**



**ESD Anti-Static Test**



**Tear Strength  $\geq 120$ N**



**Bondness Test  
 $\geq 4.0$ N/mm**



**Flex Tester  $\geq 36,000$ T**

# Canton Fair



## SAFETY SHOES



## RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY

# Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection