

Product Description

Produktname:	PU-Injektion Stahlkappe Lager Mode Sport Sicherheitsschuhe forwork
Artikelnummer:	DTA037
Obermaterial und Sohle:	Obermaterial: Luftdurchlässiges, fliegendes 3D-Strickmaterial Sohle: PU Dual Density Delta Plus
Zehe:	1. Stahlkappe, es kann stoßfest 200 Joule sein. 2. nicht ist auch vorgesehen.
Zwischensohle:	1. Stahlplatte, es kann sein Puktion beständig 1100 Newton. 2. Nicht ist ebenfalls unter der Voraussetzung
Gewicht:	1,0 kg / Pr
Halsband:	Luftdurchlässiges 3D-Fliegengestrick
Zunge:	Stoff mit hoher Dichte
Futter:	grauer luft- und trockener Sandwich-Mesh-Stoff (Ihre Füße bleiben trocken und komfortabel)
Sockliner:	Geformtes EVA oder HI-POLY oder PU (Reduzieren Sie die Schmerzen und Müdigkeit bei der täglichen Arbeit erheblich)
Konstruktion:	PU-Injektion
Höhe:	Niedriger Knöchel
Größe:	37-47 (3-13)
Standard:	CE EN ISO 20345 S1P SRC oder andere als Ihre Anforderungen
Garantie:	6 Monate
Paket:	1 Paar pro cOlor innere Kastenverpackung, 10 Paare pro Karton.
Kartongröße	58,5 x 40 x 32,5 cm
Lademenge des Containers:	3300pairs / 1x20 'Behälter 6600pairs / 1x40 'container

Product Pictures





Company Information



Intertek

EC Type Examination Certificate



Issued to: FUJIAN HONGJIAN SHISEI CO., LTD.
SHANGHAI INDUSTRIAL ZONE, JINCHANG TOWN, NINGBO CITY, ZHEJIANG PROVINCE, CHINA

Authorised Representative: HANDESHI SHANGHAI SAFETY PRODUCTS MFG. CO., LTD.
1-201 Village, Zhujia Town, Jiangyin District, Suzhou, Jiangsu Province, China

Date of Issue: 13 January 2018

Expiry Date: 13 February 2020

Certificate No.: L20170022947 (extension of certificate L20170294719)

Product Reference(s): Safety Group: 4800V (480V), 4800V (480V), 4800V (480V), 4800V (480V), 4800V (480V), 480V (480V), 480V (480V), 480V (480V)

Description:

Construction:	Insulation
Terminal:	Open contact
Material:	Open wire
Lead:	0.05
Size:	4800 (480V)
Mount:	ACB
Test frequency:	See reference No.
Test range:	38-45
Category:	SEP-016



13/01/2018
Date



Product Reference:
L20170022947 (extension of certificate L20170294719)

13/01/2018
Date

This certificate is issued under the supervision of the Intertek Group, which is a member of the Intertek Group of Companies. The Intertek Group of Companies is a member of the Intertek Group of Companies. The Intertek Group of Companies is a member of the Intertek Group of Companies.



Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY