

Produktname:	CE SBP Standardsicherheitsschuhe Schuhe
Artikelnummer:	3078
Schaft und Sohle:	Echtes Leder-Obermaterial, PU Dual-Density-Sohle.
Zehe:	1. Stahlkappe zu schlagfest. (ASTM F2413-05 M I / 75 C / 75, CE ENISO 20345 STANDARD, eine Vielzahl von <b>passend zu</b> wählen von)
	2. Nicht-Stahlkappe ist ebenfalls vorgesehen.
Stahlplatte : (Stahlzwischensohle)	1. Stahlplatte werden beständig durchstechen. (ASTM F2413-05 M I / 75 C / 75, CE ENISO 20345 STANDARD, eine Vielzahl von Fitting zur Auswahl)
	2. Nicht-Stahlplatte ist ebenfalls vorhanden
Halsband:	PU gepolstert mit schweren Schwamm.
Zunge:	perfekt weiche echtes Leder
Futter:	Mesh-Gewebe
Einlegesohle:	Bequeme Polster
Bau:	PU Injektion
Höhe:	Middle Cut
Größe:	4-12 (38-46)
Garantie:	3 Monate, schwere und solide Qualität.
Paket:	Farbe Innenkastenverpackung, 10 Paare in einem Karton
Kartongröße	56x38x31.5cm (38-40); 58.5x40x32.5cm (41-43); 61x42x35cm (44-46)
Beladungsmenge des Behälters:	3300pairs / 1x20 'Container 8200pairs / 1x40 'HQ Container

#### FAQ:

##### 1.Question: WHut ist Ihre MOQ?

---- Unser MOQ ist 1000 Paare pro Art mit gemischten Größe.

##### 2.Question: Darf ich fragen, ein Paar Proben vor Ort bestellen?

---- Ja, wir können Sie ein Paar Probe als Qualitätsprüfung kostenlos senden, aber Kunden müssen Eilbotekosten selbst, wie DHL, TNT, Fedex, EMS etc. zu zahlen

##### 3.Question: Haben Sie CE-Zertifikat haben, müssen wir es Gewohnheit zu löschen?

---- Ja, Sie können unsere Produkte CE-Norm erfüllen, und wir haben Beziehung Zusammenarbeit mit verschiedenen internationalen Labors, darunter interteck aus Großbritannien, CTC aus Frankreich SABS aus Südafrika usw.

##### 4.Question: Was Ihre Zahlung ist, wie können wir Sie bezahlen?

---- Unsere Firma kann sowohl T / T und L / C Zahlung an. Wenn Sie irgendwelche anderen Zahlungsanforderungen haben, lassen Sie bitte Mitteilung oder unsere Online-Verkäufer direkt.

##### 5. Frage: Was ist die Qualitätsgarantie der Zeit?

---- Diese sytle Sicherheitsschuhe sind 3 Monate Qualitätsgarantie angeboten, nachdem sie versendet. Wenn die Schuhe innerhalb 3 Monats gebrochen sind, kontaktieren Sie uns bitte, werden wir Ihnen neue Schuhe kompensieren ohne Bezahlung.

#### Export Geschichte der Sicherheitsschuhe:

<p><b>UAE</b>          Style: HS8088/ HS8089          Destination port: Jebel Ali          Quantity: 9000 Pairs</p> <p>On December 2015 Dubai customer ordered one 40' HQ container safety shoes, they are one of our biggest customer and place one 40'HQ order every month.</p> 	<p><b>SAUDI ARABIA</b>          Style: SF131B          Destination port: Dammam          Quantity: 8500 Pairs</p> <p>On November 2015 Saudi Arabia Customer ordered 8500 Pairs Safety Shoes with style SF131B. They are satisfied with our quality.</p> 
<p><b>MEXICO</b>          Style: 8070          Destination port: Long Beach          Quantity: 3300 Pairs</p> <p>On January and Sep. 2015 Mexico customer ordered two 20'FT container safety shoes with style 8070 safety shoes. They felt very satisfied.</p> 	<p><b>KENYA</b>          Style: HS8088          Destination port: Mombasa          Quantity: 8100 Pairs</p> <p>On Aug. 2015 Kenya customer ordered one 40' HQ safety shoes with style HS8088. They felt very satisfied with our quality delivery.</p> 
<p><b>IRAQ</b>          Quantity: 7400 Pairs          Destination port: Basra</p> <p>On May and Dec. 2015 Iraq customer ordered total three 40' HQ container miller steel and vaultex brand safety shoes. They felt very satisfied.</p> 	<p><b>NIGERIA</b>          Style: HA2003T          Destination port: Apapa          Quantity: 1000 Pairs</p> <p>On Jan. 2015 Nigeria customer ordered 1000 pairs safety boots with style HA2003T.</p> 

**Sicherheitsschuhe alleinige Modell zeigen:**



**Sicherheitsschuhe CE-Zertifikat:**



## EC Type Examination Certificate



### Approved Body 0362

The safety footwear detailed herein meets the criteria of an EC Type Examination in accordance with Article 10 of the PPE Directive (89/686/EEC) including amendments and corrigendum up to 14/12/2010 for intermediate design category products.

This has been shown through satisfactory testing to EN ISO 20345: 2011 and examination of the Technical File Documentation.

Following an EC Declaration of Product Conformity you are hereby licensed to mark the product(s) detailed in accordance with Article 13 of the PPE Directive (89/686/EEC).

ITS Testing Services (UK) Ltd.  
Centre Court  
Meridian Business Park  
Leicester, LE19 1WD  
United Kingdom  
Phone: +44 (0)116 263 0330  
Fax: +44 (0)116 263 0311



[www.intertek.com](http://www.intertek.com)

<b>Issued to</b>	: RUIAN HONGSUN SHOES CO., LTD. QIANBU INDUSTRIAL ZONE, XINCHENG TOWN, RUIAN CITY, ZHEJIANG PROVINCE, CHINA
<b>Authorised Representative</b>	: HARBIN ANA SAFETY PRODUCTS MFG. CO., LTD. Lixin Village, Xinhua Town, Acheng District, Harbin, Heilongjiang Province, China
<b>Date of Issue</b>	: 13 January 2016
<b>Expiry Date</b>	: 11 February 2020
<b>Certificate No.</b>	: LEC FI00362467 (Extension of certificate LEC FI00347154)
<b>Product Reference(s)</b>	: Safety Shoes H8K01, H8K02 H8K03, H8K04 H8K05, H8K06 H8K07, H8K08 H8K09, H8K10
<b>Description</b>	: Construction : Injection Toecap : Steel toecap Midsole : Steel plate Last : 8000 Sole : 8000 PU/PU Mould : 8000 Test Report(s) : See technical file Size Range : 38-46 Category : SBP SRA



Assessor

13/01/2016

Date



Certification Manager

13/01/2016

Date

For and on behalf of ITS Testing Services (UK) Limited

Registered in England No. 1408264 Registered Office: Academy Place, 1-9 Brook Street, Brentwood, Essex, CM14 5NQ

This certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Certificate. Only the Client is authorized to permit copying or distribution of this Certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Certificate. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek.