

Produktname:	CE-Norm Bergbau PVC-Sicherheits regen Stiefel
Artikelnummer:	BRS
regen Stiefel Farbe	Schwarz Ober mit roter Sohle
Schneiden	36-47 (13/2)
Größe	39CM (volle Höhe), 34cm (Höhe), 29cm (geringe Bauhöhe)
Durchschnittsgewicht	2.5kgs / PAIR (mit Stahlkappe und Stahlplatten)
Obermaterial	100% reines PVC-Material + Weichmacher für beide Sohle und (leicht zu waschen)
ausgekleidet regen Stiefel	Polyester (leicht getrocknet Stoff)
Bau	PVC-Injektion
Standard	Treffen Sie CE EN ISO 20345-Standard (mit Stahlkappe und Stahlplatten)
Stoßfest (Stahlzehenschutz)	Treffen Sie 200 Joule
Druckfest (Stahlzehenschutz)	Treffen Sie Newton 1500
Puncture (Stahlschutzplatte)	Treffen Sie Newton 1100
Charakteristik	<ol style="list-style-type: none"> 1. Wasser / Säure / Alkali / Öl / fettbeständig, rutschfest, antistatisch Gummistiefel. 2. Stahlkappe kann Auswirkungen & amp; Ampere; Ampere; druckfest. 3. Stahlplatte kann resistent pannen werden. 4. Laufsohle ist abriebfest und Vertrag. 5. Knöchelschutz, Energieaufnahme im Fersensitzbereich, die Stärkung der Zehen und der Ferse 6. beständig bei tiefen Temperaturen.
Garantie:	5 Monate, robust und solide Qualität.
Paket:	1 Paar pro Polybeutel, 10 Paare pro Karton
Kartongröße	43x43x45cm
Menge an Ladungsträgern:	3250 Paare / Behälter 1x20 ' 6500 Paare / Behälter 1x40 ' 8100 Paare / HQ Behälter 1x40 '

FAQ:

1.Question: WHut ist Ihre MOQ?

---- Unser MOQ ist 1000 Paare pro Art mit gemischten Größe.

2.Question: Kann ich verlangen Proben eines Paares vor zu bestellen?

---- Ja, wir können Sie eine kostenlose Probe von dem Paar, die Ihre Qualitätskontrolle, aber Kunden müssen zahlen, um den Kurier Kosten selbst, wie DHL, TNT, Fedex, EMS, etc. senden

3.Question: Haben Sie CE-Zertifikat haben, müssen wir die Gewohnheit zu löschen?

---- Ja, unsere Produkte können CE-Normen erfüllen, und wir haben kooperative Beziehungen mit verschiedenen internationalen Laboratorien, darunter Intertek Großbritannien, Frankreich CTC SABS aus Südafrika, usw..

4.Question: Was Ihre Zahlung ist, wie können wir Sie bezahlen?

---- Unsere Firma kann sowohl T / T Zahlung und L / C annehmen Wenn Sie andere Zahlungsanforderungen haben, wenden Sie sich bitte Nachricht direkt an unseren Online-Verkäufer verlassen oder zu kontaktieren.

5. Frage: Wie ist die Qualität Garantiezeit?

---- Diese PVC regen Stiefel SYTLE angeboten Qualitätsgarantie 5 Monate nach der Sendung. Wenn die regen Stiefel in fünf Monaten gebrochen sind kontaktieren Sie uns bitte, werden wir Ihnen neue Schuhe ohne Zahlung kompensieren.

Andere Farbe Bergbau PVC-Sicherheits regen Stiefel:

CE



CE



CE



CE



Die Bescheinigung über die regen Stiefel PVC Sicherheit:

EC Type Examination Certificate



Approved Body 0362

The safety footwear detailed herein meets the criteria of an EC Type Examination in accordance with Article 10 of the PPE Directive (89/686/EEC) including amendments and corrigendum up to 14/12/2010 for intermediate design category products.

This has been shown through satisfactory testing to EN ISO 20345:2011 and examination of the Technical File Documentation.

Following an EC Declaration of Product Conformity you are hereby licensed to mark the product(s) detailed in accordance with Article 13 of the PPE Directive (89/686/EEC).

ITS Testing Services (UK) Ltd
 Centre Court
 Meridian Business Park
 Leicester, LE19 1WD
 United Kingdom
 Phone: +44 (0)115 263 0300
 Fax: +44 (0)115 263 0311



www.intertek.com

Issued to	: Harbin Ana Safety Products MFG. Co., Ltd. Lixin Village, Xinhua Town, Acheng District, Harbin, Heilongjiang Province, China	
Authorised Representative	: Heilongjiang Safer Co., Ltd. RM502 Pufa Plaza, No. 209 Changjiang Road, Harbin, China	
Manufacturer	: Harbin Ana Safety Products MFG. Co., Ltd. Lixin Village, Xinhua Town, Acheng District, Harbin, Heilongjiang Province, China	
Date of issue	: 14 May 2015	
Expiry Date	: 14 May 2020	
Certificate No.	: LEC FI00348758	
Product Reference(s)	: BBS (GBS) PVC Safety Boots	
Description	: Construction	: Injection
	: Toecap	: 459 Steel Toecap
	: Midsole	: OY# 160 Steel Plate
	: Last	: HA-459
	: Sole	: PVC & Nitrile
	: Mould	: HA-S
	: Test Report(s)	: GZHT90504055, GZHT90391794
	: Size Range	: EUR 36 – 47
	: Category	: S5 SRA

M. Lutz

Assessor

14/05/2015

Date

P. Wilkinson

Certification Manager

14/05/2015

Date

For and on behalf of ITS Testing Services (UK) Limited

Registered in England No. 1498264 Registered Office: Academy Place, 5 & 6 Bank Street, Birmingham, B2 5JQ

This certificate is for the exclusive use of Intertek (UK) and is not to be used for any other purpose. It is issued in accordance with the agreement between Intertek (UK) and the manufacturer. Intertek (UK) is not responsible for the validity and accuracy of the data and information provided in this certificate. Intertek (UK) is not responsible for the validity and accuracy of the data and information provided in this certificate. Intertek (UK) is not responsible for the validity and accuracy of the data and information provided in this certificate. Intertek (UK) is not responsible for the validity and accuracy of the data and information provided in this certificate.