Product Description

Produktname:	Safety Jogger TPU SOLE BLACK SICHERHEITS SICHERHEITSCHUHE
Artikelnummer:	SJ0224.
Ober- und Sohle:	Obermaterial: geprägtes Split-Kuhleder Sohle: PU & TPU
Zehe:	1. Verbundzapfenkappe um schlagfeste 200 Joule. Um Ihren Füße-Zeh ohne Gefahr zu schützen.
	2. Es ist auch nicht vorgesehen.
Zwischensohle:	1. Nicht-metallische Anti-Penetrations-Einlegesohlen, um den Resistent 1100 Newton zu pannen.Um Ihre Füße ohne Punktion mit Nagel oder scharfen Gegenständen zu schützen
	2. Non ist auch vorgesehen
Halsband:	PU Künstliches Leder mit Schwamm
Zunge:	Pu künstliches leder
Beschichtung:	Soft-Air-Mesh-Stoff (es wird Ihre Füße bequem aufbewahrt)
Sockliner:	Anti-statische geformte EVA mit Air Mesh-Stoff oder anderen als Ihre Anforderungen (stark reduzieren Sie Ihre Füße Schmerz und Müdigkeit von der täglichen Arbeit)
Konstruktion:	Injektion
Höhe:	Mittlerer Schnitt
Größe:	EUR38-47.
Standard:	CE EN ISO 20345: 2011 S1-P SRC oder andere.
Garantie:	6 Monate
Paket:	1 Paare pro cOlor innerer Kastenverpackung, 10 Paare in einem Karton.
Kartongröße	59 x 44 x 33 cm
Lastmenge des Behälters:	3200pairs / 1x20 'Container 6400pairs / 1x40 'Container

Product Pictures

TIGER MASTER

TIGER MASTER SAFETY SHOES

Your safety is our concern

TIGER MASTER
TIGER MASTER
SAFETY SHOES
TPU SOLE
CE
TIGER MASTER

EU TYPE
EXAMINATION
CERTIFICATE
intertek
CE

Certificate of
Quality Management System
Certificate No.: 094307Q004
Certified that
Harbin Ana Safety Products Mfg., Co., Ltd.
Has established a Quality Management System which is in Accordance with the Requirements of the Standard:
GB/T 19001-2016/ISO 9001:2015
SCOPE OF CERTIFICATION
Manufacture and Sales of Polyvinyl Chloride (PVC)
Protective Rain Boots (Except for Production License Products)
ANAB
IAF

EU TYPE
EXAMINATION
CERTIFICATE
intertek
CE

[PRODUCTION PROCESS]

Raw Materials

Punching

Cutting

Sewing

Eyeletting

Riveting

Heat - Setting

Molding

Making up

Inspection

Packing

Finished Goods

SAFETY SHOES TEST

Toecap Test≥200 Joules

Midsole Test≥1200 Newtons

ESD Anti-Static Test

Tear Strength ≥120N

Bondness Test
≥4.0N/mm

Flex Tester ≥ 36,000T

Canton Fair

SAFETY SHOES

RAIN BOOTS

PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY