

## Product Description

Produktname:	Tiger Master Marke Safety Shoes S3 SRC
Artikelnummer:	TM004.
Ober- und Sohle:	Obermaterial: geprägtes Split-Kuhleder Sohle: PU / PU Dual Density Sohle
Zehe:	1. Stahl-Zehenkappe, um schlagfest 200 Joules zu sein. Um Ihren Füße-Zeh ohne Gefahr zu schützen. 2. Nicht-Stahl-Zeh ist ebenfalls vorgesehen.
Zwischensohle:	1. Stahlplatte, um resistent 1100 Newton zu pannen.Um Ihre Füße ohne Punktion mit Nagel oder scharfen Gegenständen zu schützen 2. Nicht-Stahlplatte ist ebenfalls vorgesehen
Halsband:	PU Künstliches Leder mit Schwamm
Zunge:	Pu künstliches leder
Beschichtung:	Hochwertiger Air Mesh-Stoff (es wird Ihre Füße bequem aufbewahrt)
Sockliner:	Anti-statische geformte EVA mit Air Mesh-Stoff oder anderen als Ihre Anforderungen (stark reduzieren Sie Ihre Füße Schmerz und Müdigkeit von der täglichen Arbeit)
Konstruktion:	PU-Injektion
Höhe:	Mittlerer Schnitt
Größe:	38-47.
Standard:	CE EN ISO 20345: 2011 S3 SRC oder andere.
Garantie:	6 Monate
Paket:	1 Paare pro cOlor innerer Kastenverpackung, 10 Paare in einem Karton.
Kartongröße	59 x 44 x 33 cm
Lastmenge des Behälters:	3200pairs / 1x20 'Container 6400pairs / 1x40 'Container

## Product Pictures







# **TIGER MASTER SAFETY SHOES**

**Your safety is our concern!**



**EU TYPE  
EXAMINATION  
CERTIFICATE**

intertek



**Issued to:** HARBIN ANA SAFETY PRODUCTS MFG. CO., LTD.  
**Issue Date:** 10 September 2020  
**Expiry Date:** 10 September 2025  
**Product Reference(s):** 1113 0004 (1) Extension to Certificate 10790213003  
**Product Reference(s):** 87479 (3-6, 10A)  
**Product Reference(s):** 87423 (3-10B, 12)  
**Description:**  
 Type of Article : BOOTS  
 Name : Composite Toe Boot  
 Material : 100% POLYESTER / 100% PU  
 Size : 170-185  
 Color : 1708 P-01A  
 Model : 1708  
 MFR : HARBIN ANA SAFETY PRODUCTS MFG. CO., LTD.  
 Size Range : 170-185  
 Category : SAFETY

Inspector: P. B. ... Date: 10/09/2020

Certification Manager: P. B. ... Date: 10/09/2020

Intertek (UK) Ltd, Testing Services, EU, United Kingdom



### Certificate of Quality Management System

Certificate No.: 09407004  
 Certified that  
**Harbin Ana Safety Products Mfg. Co., Ltd.**  
 Registration Address: No. 16, 18, 19 & 20, Building 118, East Far Street, Pingfang District, Harbin City, Heilongjiang Province  
 Production Address: Lida Village, Wuda Town, Achang District, Harbin City, Heilongjiang Province  
 Office Address: 302, Park Building, No. 310, Changjiang Road, Nan Jiang District, Harbin City  
 Contact Email: [ana@ana-safety.com](mailto:ana@ana-safety.com)  
 Contact Tel: +86 451 83612222  
 Contact Fax: +86 451 83612222  
 Contact Web: [www.ana-safety.com](http://www.ana-safety.com)

*Has established a Quality Management System which is in accordance with the Requirements of the Standard:*  
**GB/T 19001-2016/ISO 9001:2015**

SCOPE OF CERTIFICATION:  
**Manufacture and Sales of Polyvinyl Chloride (PVC)  
 Protective Rain Boots (Except for Production License Products)**

*Expiry of Certificate for Last Cycle: May 9, 2024  
 Validity of Certification: May 1, 2020 to May 9, 2023  
 Expiration Date of this Certificate: May 1, 2023*

This declaration of conformity shall be validated by periodic surveillance made by CERT for maintenance of conditions in accordance with the requirements of the Standard and shall be subject to the conditions of certification and distribution administered by the Competent Authority of the Country in which the Issuer is established.

ANAB IAF EWC

Intertek (UK) Ltd, Testing Services, EU, United Kingdom

**EU TYPE  
EXAMINATION  
CERTIFICATE**

intertek



**Issued to:** HARBIN ANA SAFETY PRODUCTS MFG. CO., LTD.  
**Issue Date:** 10 September 2020  
**Expiry Date:** 10 September 2025  
**Product Reference(s):** 1113 0004 (1) Extension to Certificate 10790213003  
**Product Reference(s):** 87479 (3-6, 10A)  
**Product Reference(s):** 87423 (3-10B, 12)  
**Description:**  
 Type of Article : BOOTS  
 Name : Composite Toe Boot  
 Material : 100% POLYESTER / 100% PU  
 Size : 170-185  
 Color : 1708 P-01A  
 Model : 1708  
 MFR : HARBIN ANA SAFETY PRODUCTS MFG. CO., LTD.  
 Size Range : 170-185  
 Category : SAFETY

Inspector: J. ... Date: 10/09/2020

Certification Manager: P. B. ... Date: 10/09/2020

Intertek (UK) Ltd, Testing Services, EU, United Kingdom



### Certificate of Quality Management System

Certificate No.: 09407004  
 Certified that  
**Harbin Ana Safety Products Mfg. Co., Ltd.**  
 Registration Address: No. 16, 18, 19 & 20, Building 118, East Far Street, Pingfang District, Harbin City, Heilongjiang Province  
 Production Address: Lida Village, Wuda Town, Achang District, Harbin City, Heilongjiang Province  
 Office Address: 302, Park Building, No. 310, Changjiang Road, Nan Jiang District, Harbin City  
 Contact Email: [ana@ana-safety.com](mailto:ana@ana-safety.com)  
 Contact Tel: +86 451 83612222  
 Contact Fax: +86 451 83612222  
 Contact Web: [www.ana-safety.com](http://www.ana-safety.com)

*Has established a Quality Management System which is in accordance with the Requirements of the Standard:*  
**GB/T 19001-2016/ISO 9001:2015**

SCOPE OF CERTIFICATION:  
**Manufacture and Sales of Polyvinyl Chloride (PVC)  
 Protective Rain Boots (Except for Production License Products)**

*Expiry of Certificate for Last Cycle: May 9, 2024  
 Validity of Certification: May 1, 2020 to May 9, 2023  
 Expiration Date of this Certificate: May 1, 2023*

This declaration of conformity shall be validated by periodic surveillance made by CERT for maintenance of conditions in accordance with the requirements of the Standard and shall be subject to the conditions of certification and distribution administered by the Competent Authority of the Country in which the Issuer is established.

ANAB IAF EWC

Intertek (UK) Ltd, Testing Services, EU, United Kingdom

# [ PRODUCTION PROCESS ]



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

# SAFETY SHOES TEST



**Toecap Test  $\geq 200$  Joules**



**Midsole Test  $\geq 1200$  Newtons**



**ESD Anti-Static Test**



**Tear Strength  $\geq 120$ N**



**Bondness Test  
 $\geq 4.0$ N/mm**



**Flex Tester  $\geq 36,000$ T**