

Product Description

Produktname:	CE europäische Sicherheitsschuhe
Artikelnummer:	TM008L.
Ober- und Sohle:	Obermaterial: Erstschrift Echtes Leder Sohle: PU / PU-Dual-Dichte
Zehe:	1. Stahl-Zehenkappe, um schlagfest 200 Joules zu sein. 2. Nicht-Stahl-Zeh ist ebenfalls vorgesehen.
Zwischensohle:	1. Stahlplatte, um resistent 1100 Newton zu pannen. 2. Nicht-Stahlplatte ist ebenfalls vorgesehen
Halsband:	Pu künstliches leder
Zunge:	Pu künstliches leder
Beschichtung:	Air Mesh Stoff (es wird Ihre Füße bequem aufbewahrt)
Einlegesohlen:	Anti-statische geformte EVA mit Air Mesh-Stoff oder anderen als Ihre Anforderungen (stark reduzieren Sie Ihre Füße Schmerz und Müdigkeit von der täglichen Arbeit)
Konstruktion:	PU-Injektion
Höhe:	Niedriger Knöchel
Größe:	38-47.
Standard:	CE EN ISO 20345: 2011 S3 SRC
Funktion:	Öl / Slip / Schlag / Punktion / wasserdicht, antistatisch, Stoßdämpfung
Garantie:	6 Monate
Paket:	1 Paar pro Farbkasten, 10 Paare in einem Karton.Kartongröße:58,5 x 40 x 32,5 cm
Lastmenge des Behälters:	3300pairs / 1x20 'Container 6600pairs / 1x40 'Container

Product Pictures





Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T