

Product Description

Produktname:	2022 neue TPU-Sohle-modische Turnschuhe Sicherheitsschuhe für die Arbeit
Artikelnummer:	TM1026.
Ober- und Sohle:	Wildleder + TPU-Obermaterial; PU + TPU SOE,
Zehe:	1. Fiberglas-Zehenkappe, um schlagfest zu sein. Um Ihren Füßenzehen ohne Gefahr zu schützen.
	2. Non ist ebenfalls vorhanden.
Zwischensohle:	1. Nicht metallische Anti-Penetrationseinlagen, um sich durchstichen zu sein. Um Ihre Füße ohne Punction mit Nagel oder scharfen Gegenständen zu schützen.
	2. Non ist auch vorgesehen
Kragen:	High Density Stoff.
Zunge:	High Density Stoff.
Beschichtung:	Weiches atmungsaktives Mesh-Stofffutter für zusätzlichen Komfort
Schuhpads:	Abnehmbarer Hi-Poly-Einlegesohle bietet überlegene Unterfußunterstützung und dämpfter Komfort.
Konstruktion:	Spritzguss
Höhe:	Tief geschnitten
Größe:	37-47.
Standard:	CE EN ISO 20345: 2011 SB-P SRC oder andere.
Garantie:	6 Monate Die Sohle ist nicht von der Mitte gebrochen oder innerhalb von sechs Monaten nach der Ware nach dem Zielpart zurückgezogen. Keine Garantie für das Oberteil.
Funktion:	Öl / Säure / Benzin / Chemikalisch / Schlag / Punction / abriebfest, rutschfest, metallfrei, leichter, Stoßdämpfung. Injiziertes TPU-Fersen-Capture-System für zusätzliche Stabilität.
Paket:	1 Paar pro Farbkasten, 10 Paare pro Karton. Kartongröße: 58.5.x40.x32.5 cm
Lastmenge des Behälters:	3300pairs / 1x20 'Container 6600pairs / 1x40 'Container

Product Pictures



200 JOULE
TOECAP



SLIP-
RESISTANT



SHOCK
ABSORPTION



ANTI-STATIC



PETROL AND
CHEMICAL
RESISTANT



ANTI-NAIL
MIDSOLE



OIL
RESISTANT







EU TYPE EXAMINATION CERTIFICATE intertek

CE **APPROVED BODY NAME** APPROVED BODY NAME: TÜV SÜD

Issued to: HEILONGJIANG SAFER CO., LTD.
Issue Date: 15 September 2020
Expiry Date: 15 September 2024

Certificate No.: 111100041 (1) Extension by Certificate LECT/AG/19020

Product Reference(s): 87420 (00-3324)
 87420 (00-2020-1)

Description:

Category	010001
Material	Composite Toe-cap
Model	HL01 (1/2) (00-3324) (00-2020-1)
Size	1100 (1/2) (00-3324) (00-2020-1)
Color	Black
Weight	1.20 kg (max)
Toe Height	25 mm
Category	SF 001

Reference to the Declaration of Conformity: The manufacturer has the responsibility to ensure that the product conforms to the requirements of the applicable standards and to the requirements of the applicable standards.

Signature: *[Signature]* **Date:** 15/09/2020

Certificate Manager: *[Signature]* **Date:** 15/09/2020

For and on behalf of TÜV SÜD Services (UK) Limited

EWC

Certificate of Quality Management System

Certified that
HEILONGJIANG SAFER CO., LTD.

Has established a Quality Management System which is in accordance with the Requirements of the Standard as applicable to Class 0 by
GB/T 19001-2016/ISO 9001:2015

SCOPE OF CERTIFICATION
 Sales of Personal Protective Equipments (Foot Protective, Hand Protective, Head Protective and Body Protective) and Traffic Safety Products (Safety Net, Road Cone, Safety Barricade, Speed Bump, Warning Belt, Caution Light, Triangle Sign, Baton, Reflecting Mirror, Reflector, Reflective Corner Guard and Reflecting Spike)

Validity of Certification: Nov. 17, 2021 to Nov. 16, 2024
 Issue Date: Nov. 17, 2021

EWC *[Signature]*

ANAB IAF

EU TYPE EXAMINATION CERTIFICATE intertek

CE **APPROVED BODY NAME** APPROVED BODY NAME: TÜV SÜD

Issued to: HANSHI SAFETY PRODUCTS MFG. CO., LTD.
Issue Date: 16 September 2020
Expiry Date: 16 September 2024

Certificate No.: 11000100000

Product Reference(s): 8642 (00-0000)
 SAFETY BOOTS

Description:

Category	010001
Material	PU, STEEL TOECAP
Model	HS-001 (00-0000)
Size	40-45
Color	Black
Weight	1.20 kg (max)
Toe Height	25 mm
Category	SF 001

Reference to the Declaration of Conformity: The manufacturer has the responsibility to ensure that the product conforms to the requirements of the applicable standards and to the requirements of the applicable standards.

Signature: *[Signature]* **Date:** 16/09/2020

Certificate Manager: *[Signature]* **Date:** 16/09/2020

For and on behalf of TÜV SÜD Services (UK) Limited

[PRODUCTION PROCESS]



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY