

## Product Description

Pröduktname:	HochWertige wasserdichte Sicherheitstiefel der Marke Tiger S3
Artikelnummer:	TM122
Obermaterial und Sohle:	TTE Mesh Gewebe TPU Obermaterial; EVA Gummisohle, ( Gepolsterte EVA-Zwischensohle für zusätzlichen Komfort und Stoßdämpfung.)
Zehe:	1. Fiberglas Zehenkappe, um schlagfest zu sein.Zum gefahrlosen Schutz Ihrer Fußzehen. 2. non wird ebenfalls bereitgestellt.
Zwischensohle:	1. Nichtmetallische durchtrittsichere Einlegesohlen, um durchstichfest zu sein. Zum Schutz Ihrer Füße ohne Einstiche durch Nägel oder scharfe Gegenstände. 2. non wird ebenfalls bereitgestellt
Kragen:	Hoch dichtes Cordura Gewebe
Zunge:	Hoch dichtes Cordura Gewebe & TTE
Beschichtung:	Air Sandwich Mesh Material und wasserdichte Socken innen
Schuh Pads:	Herausnehmbare HI-POLY Einlegesohle bietet hervorragende Unterfußunterstützung und gepolsterten Komfort.
Konstruktion:	Spritzguss
Höhe:	Mittelschnitt
Größe:	37-47
Standard:	CE EN ISO 20345:2011 S3 SRC oder andere.
Garantie:	6 Monate Die Sohle wird innerhalb von sechs Monaten nach Ankunft der Ware im Bestimmungshafen nicht in der Mitte gebrochen oder abgezogen. Keine Garantie für das Obermaterial.
Funktion:	Hitze beständig Grad 300, 100% wasserdicht, Öl/ Säure/ Benzin/ Chemikalien/ rutsch-/ schlag-/ durchstichfest, metallfrei, stoßdämpfend.
Paket:	1 Paar pro Farbe Box, 10 Paare pro Karton. Kartongröße: 59 x 44 x 33 cm
Lademenge des Containers:	3200 Paar / 1 x 20 "Behälter 6400 Paar / 1x40 Behälter

## Product Pictures



**200 JOULE  
TOECAP**



**SLIP-  
RESISTANT**



**SHOCK  
ABSORPTION**



**ANTI-STATIC**



**PETROL AND  
CHEMICAL  
RESISTANT**



**ANTI-NAIL  
MIDSOLE**



**OIL  
RESISTANT**



WATERPROOF





## Company Information

Tigermeister ist Hersteller von Sicherheitsschuhen und PVC-Regentiefeln. Wir sind nach dem Qualitätsmanagementsystem ISO 9001:2015 zertifiziert. Außerdem haben einige unserer Hot-Sale-Modelle CE ENISO 20345:2011 und ASTM F2413-18 qualifiziert. Mittlerweile sind wir auch eine professionelle Marke für [PSA \(Persönliche Schutzausrüstung\)](#), insbesondere in den Bereichen Schutzhandschuhe, Arbeitskleidung, Helme, Sicherheitsweste, Ohrenschützer/Stöpsel, Safety Geschirr, Regenmantel/Anzug etc.

Alle unsere Produkte werden umfassend für allgemeine Industriearbeiten, Bauarbeiten, Ölfelder, Bergbau, Landwirtschaft, Materialhandhabung, Schweißen und Fahren eingesetzt. Nach vielen Jahren der Bemühungen haben wir schnelle Fortschritte gemacht und sind einer der erfahrenen Hersteller und geworden Lieferanten of Sicherheitsprodukte auf Märkten auf der ganzen Welt. Wir haben in über 100 Länder exportiert und Regionen, o Unsere Kunden

sind damit zufrieden unsere Produkte.

Vielen Dank für Ihr Interesse an Tiger Master. Ich hoffe, Sie können die gewünschten Produkte finden und unsere geschäftliche Zusammenarbeit beginnen. Wenn Sie weitere Informationen benötigen, zögern Sie bitte nicht, uns zu kontaktieren, wir sind hier immer bereit.

**EU TYPE EXAMINATION CERTIFICATE** intertek

**CE** **Model No.** HEILONGJIANG SAFER CO., LTD.  
**Issue Date** 15 September 2020  
**Expiry Date** 15 September 2021  
**Certificate No.** 111340081111 (Extension by Certificate L0790312000)  
**Product Reference(s)** HFA30 30-300, HFA70 30-300 42  
**Manufacturer** HEILONGJIANG SAFER CO., LTD.  
**Manufacturer's Address** No. 111, Xiangyin Road, Heilongjiang Province, Harbin City, Heilongjiang Province, P.R. China  
**Manufacturer's Contact** Tel: +86 451 83611111  
**Manufacturer's Website** www.heilongjiangsafer.com  
**Manufacturer's Email** info@heilongjiangsafer.com  
**Manufacturer's Phone** +86 451 83611111  
**Manufacturer's Fax** +86 451 83611111  
**Manufacturer's Email** info@heilongjiangsafer.com  
**Manufacturer's Website** www.heilongjiangsafer.com  
**Manufacturer's Phone** +86 451 83611111  
**Manufacturer's Fax** +86 451 83611111

**Product Description**

Material	Aluminum
Color	Black
Finish	Electrolytic
Weight	1.5kg
Dimensions	300x300x42mm
Application	For use as a safety barrier
Use	For use as a safety barrier
Material	Aluminum
Color	Black
Finish	Electrolytic
Weight	1.5kg
Dimensions	300x300x42mm
Application	For use as a safety barrier
Use	For use as a safety barrier

**Intertek** **Issue Date** 15/09/2020  
**Expiry Date** 15/09/2021  
**Certificate No.** 111340081111  
**Product Reference(s)** HFA30 30-300, HFA70 30-300 42  
**Manufacturer** HEILONGJIANG SAFER CO., LTD.  
**Manufacturer's Address** No. 111, Xiangyin Road, Heilongjiang Province, Harbin City, Heilongjiang Province, P.R. China  
**Manufacturer's Contact** Tel: +86 451 83611111  
**Manufacturer's Website** www.heilongjiangsafer.com  
**Manufacturer's Email** info@heilongjiangsafer.com  
**Manufacturer's Phone** +86 451 83611111  
**Manufacturer's Fax** +86 451 83611111

**EWC**

**Certificate of Quality Management System**

Certificate No.: 105521Q  
*Certified that*  
**HEILONGJIANG SAFER CO., LTD.**  
 111, Xiangyin Road, Heilongjiang Province, Harbin City, Heilongjiang Province, P.R. China  
 Unified Social Credit Code: 91230107MA1104909C

*Has established a Quality Management System which is in accordance with the Requirements of the Standard(s) applicable to Class II by*  
**GB/T 19001-2016/ISO 9001:2015**

**SCOPE OF CERTIFICATION**  
 Sales of Personal Protective Equipments (Foot Protective, Hand Protective, Head Protective and Body Protective) and Traffic Safety Products (Safety Net, Road Cone, Safety Barrel, Speed Bump, Warning Belt, Caution Light, Triangle Sign, Baton, Reflecting Mirror, Reflector, Reflective Corner Guard and Reflecting Spike)

Validity of Certificate: Nov. 17, 2021 To Nov. 16, 2024  
 Issue Date: Nov. 17, 2020

(The effectiveness of certificate can be confirmed by the following website: <http://www.intertek.com>)  
 Certification and Accreditation Administration of China, A Branch of China Metrology Administration  
 Scope of this Certificate is: No. 105521Q  
 Serial No.: V18010073

EWC: *[Signature]*

**ANAB** **IAF**

For the Quality Management System, Issued by Intertek Testing Services Limited

**EU TYPE EXAMINATION CERTIFICATE** intertek

**CE** **Model No.** SHENZHEN TIGER SAFETY PRODUCTS MFG. CO., LTD.  
**Issue Date** 16 September 2020  
**Expiry Date** 16 September 2021  
**Certificate No.** 111340081111 (Extension by Certificate L0790312000)  
**Product Reference(s)** HFA30 30-300, HFA70 30-300 42  
**Manufacturer** SHENZHEN TIGER SAFETY PRODUCTS MFG. CO., LTD.  
**Manufacturer's Address** No. 111, Xiangyin Road, Heilongjiang Province, Harbin City, Heilongjiang Province, P.R. China  
**Manufacturer's Contact** Tel: +86 451 83611111  
**Manufacturer's Website** www.heilongjiangsafer.com  
**Manufacturer's Email** info@heilongjiangsafer.com  
**Manufacturer's Phone** +86 451 83611111  
**Manufacturer's Fax** +86 451 83611111

**Product Description**

Material	Aluminum
Color	Black
Finish	Electrolytic
Weight	1.5kg
Dimensions	300x300x42mm
Application	For use as a safety barrier
Use	For use as a safety barrier

**Intertek** **Issue Date** 16/09/2020  
**Expiry Date** 16/09/2021  
**Certificate No.** 111340081111  
**Product Reference(s)** HFA30 30-300, HFA70 30-300 42  
**Manufacturer** SHENZHEN TIGER SAFETY PRODUCTS MFG. CO., LTD.  
**Manufacturer's Address** No. 111, Xiangyin Road, Heilongjiang Province, Harbin City, Heilongjiang Province, P.R. China  
**Manufacturer's Contact** Tel: +86 451 83611111  
**Manufacturer's Website** www.heilongjiangsafer.com  
**Manufacturer's Email** info@heilongjiangsafer.com  
**Manufacturer's Phone** +86 451 83611111  
**Manufacturer's Fax** +86 451 83611111



# [ PRODUCTION PROCESS ]



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

# SAFETY SHOES TEST



**Toecap Test  $\geq 200$  Joules**



**Midsole Test  $\geq 1200$  Newtons**



**ESD Anti-Static Test**



**Tear Strength  $\geq 120$ N**



**Bondness Test  
 $\geq 4.0$ N/mm**



**Flex Tester  $\geq 36,000$ T**



# Canton Fair



## SAFETY SHOES



## RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY