

Product Description

Produktname:	Niedrige Knöchelölindustrie Arbeitsschuhe
Artikelnummer:	TM2013.
Ober- und Sohle:	Echtes Kuhlederoberteil Naturkautschuksohle
Zehenschutzkappe:	Stahlzehenkappe, um schlagfest 200 Joules zu sein. (ASTM F2413-18 M I / 75 C / 75, CE EN ISO 20345 Standard) Nichts ist ebenfalls vorhanden.
Mitte Sohle:	Stahlplatte, um widerstandsfähig 1100 Newton zu sein. (ASTM F2413-18 M I / 75 C / 75, CE EN ISO 20345 Standard) Nichts ist ebenfalls vorhanden.
Standard:	CE EN ISO 20345 SBP SRC oder andere
Ösen:	D ring
Halsband:	Pu künstliches leder
Zunge:	Pu künstliches leder
Beschichtung:	Weiche Luftnetzstoff
Sockliner:	EVA geformt mit Mesh-Stoff oder Hi-Poly
Konstruktion:	Zementiert
Höhe:	Niedriger Knöchel
Größe:	38-46.
Garantie:	5. Monate
Funktion:	S.Lippe / Öl / Wirkung / Punktionsresistent, Anti-Statik und wasserbeständig erhältlich, Stoßdämpfung
Paket:	1 Paar pro Farbkasten, 10 Paare pro Karton. Kartongröße ist 58,5 x 40 x 32,5 cm
Lastmenge des Behälters:	3300pairs / 1x20 'Container 6600pairs / 1x40 'Container

Product Pictures





TIGER MASTER SAFETY SHOES

Your safety is our concern



Steel plate
Puncture Resistant

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY