

## Product Description

Produktname:	Hohe Knöchelarbeitsschutzarbeit Safety Safety Schuhe
Artikelnummer:	TM3015.
Ober- und Sohle:	Echtes Kuh-Wildleder-Obermaterial PU Dual Density Sohle
Zehenschutzkappe:	StahlZehenkappe um schlagfeste 200 Joules,Nichts ist ebenfalls vorhanden. (ASTM F2413-18 M I / 75 C / 75, CE EN ISO 20345 Standard)
Mitte Sohle:	Stahlplatte, um widerstandsfähig 1100 Newton zu sein.Nichts ist ebenfalls vorhanden. (ASTM F2413-18 M I / 75 C / 75, CE EN ISO 20345 Standard)
Standard:	CE EN ISO 20345 SB-P SRC oder andere
Stil:	Geschnürt
Halsband:	High Density Oxford Stoff
Zunge:	High Density Oxford Stoff
Beschichtung:	Weiche Luftnetzstoff
Sockliner:	Geformte EVA mit Mesh-Stoff oder anderen beschichtet
Konstruktion:	PU-Injektion
Höhe:	Hoher Knöchel
Größe:	38-46.
Garantie:	6. Monate
Funktion:	S.Lippe / Öl / Wirkung / Punktionsbeständigkeit, Stoßdämpfung, Anti-Statik verfügbar
Paket:	1 Paar pro Farbkasten, 10 Paare pro Karton. Kartongröße ist59 x 44 x 33 cm
Lastmenge des Behälters:	3200pairs / 1x20 'Container 6400pairs / 1x40 'Container

## Product Pictures





# SAFETY SHOES TEST



**Toecap Test  $\geq 200$  Joules**



**Midsole Test  $\geq 1200$  Newtons**



**ESD Anti-Static Test**



**Tear Strength  $\geq 120$ N**



**Bondness Test  
 $\geq 4.0$ N/mm**



**Flex Tester  $\geq 36,000$ T**

# Canton Fair



## SAFETY SHOES



## RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY

# [ PRODUCTION PROCESS ]



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection