

Product Description

Nombre del producto:	Tiger master marca resistente al aceite deporte seguridad zapatos de trabajo puntera de acero
Artículo No:	5070
Superior y único:	Parte superior: cuero de gamuza Suela: suela de doble densidad PU
Dedo del pie:	1. Puntera de acero resistente al impacto 200J 2. También se proporciona punta de no de acero.
Entresuela:	1. Placa de acero a prueba de pinchazos 1100 Newton. 2. También se proporciona placa no de acero.
Collar:	Cuero artificial PU con esponja.
Lengua:	Cuero artificial de la PU
Revestimiento:	Aire naranja respirable y & tejido de malla seca
Plantilla:	EVA moldeada antiestática revestida con tejido de malla de aire
Construcción:	Inyección de PU
Altura:	Corte bajo
Tamaño:	36-47 (2-13)
Estándar:	S1P
Garantía:	6 meses
Paquete:	Caja de embalaje interior de color, 10 pares en una caja de cartón.
Tamaño del cartón	58.5x40x32.5cm
Cantidad de carga del contenedor:	3200pairs / 1x20 'contenedor Contenedor 6400pairs / 1x40 '

Product Pictures

**NEW
Style!**





Company Information



Intertek

EC Type Examination Certificate

CE	Issued to:	SHANGHAI HONGYUAN SHIYE CO., LTD. SHANGHAI INDUSTRIAL ZONE, JIANGNAN TOWN, NUSUN 2017, SHANGHAI PROVINCE, CHINA																		
	Authorised Representative:	Intertek Asia SAFETY PRODUCTS APC (S) LTD 1201 Village Square Street, Joojaya Square, Singapore Singapore, Singapore																		
	Date of Issue:	11 January 2018																		
	Expiry Date:	11 February 2020																		
	Certificate No.:	LEC170002947 (extension of certificate LEC16294794)																		
	Product Reference(s):	Safety Group: 48501-48600 48600-48604 48604-48618 48618-48619 950-959, 959-959																		
	Description:	<table border="0"> <tr> <td>Construction:</td> <td>Insulation</td> </tr> <tr> <td>Topology:</td> <td>Open ended</td> </tr> <tr> <td>Material:</td> <td>Open ended</td> </tr> <tr> <td>Core:</td> <td>000</td> </tr> <tr> <td>Wire:</td> <td>000 (P/PLP)</td> </tr> <tr> <td>Mount:</td> <td>ACB</td> </tr> <tr> <td>Test frequency:</td> <td>See technical file</td> </tr> <tr> <td>Test range:</td> <td>00-00</td> </tr> <tr> <td>Category:</td> <td>000-000</td> </tr> </table>	Construction:	Insulation	Topology:	Open ended	Material:	Open ended	Core:	000	Wire:	000 (P/PLP)	Mount:	ACB	Test frequency:	See technical file	Test range:	00-00	Category:	000-000
Construction:	Insulation																			
Topology:	Open ended																			
Material:	Open ended																			
Core:	000																			
Wire:	000 (P/PLP)																			
Mount:	ACB																			
Test frequency:	See technical file																			
Test range:	00-00																			
Category:	000-000																			
<p>The holder of this certificate is responsible for ensuring that the products covered by this certificate conform to the applicable technical specifications and standards referred to in the certificate.</p> <p>The holder of this certificate is responsible for ensuring that the products covered by this certificate conform to the applicable technical specifications and standards referred to in the certificate.</p> <p>The holder of this certificate is responsible for ensuring that the products covered by this certificate conform to the applicable technical specifications and standards referred to in the certificate.</p>																				
<p><i>C.M.</i></p>		16/1/2018 Date																		
<p><i>[Signature]</i></p>		16/1/2018 Date																		
<p>Intertek (Singapore) Pte. Ltd. 1201 Village Square Street, Joojaya Square, Singapore Singapore, Singapore</p>		16/1/2018 Date																		



Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

Canton Fair



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY