

Product Description

Nombre del producto:	Zapatos de seguridad ejecutivos a prueba de agua con punta de material compuesto antideslizante a prueba de agua para hombres
Artículo No:	6001
Parte superior y suela:	Parte superior: cuero de microfibra Suela: PU / PU de doble densidad
Dedo del pie:	1. Punta compuesta para ser resistente a los impactos de 200 julios. 2. non también se proporciona.
Entresuela:	1) Plantillas anti-penetración no metálicas para ser punción resistente 1100 Newton. 2) No es además previsto
Peso:	1.0 kilogramos / pr
Estilo:	Atado para arriba
Recubrimiento:	PU suave, mantendrá sus pies cómodos
Plantillas:	Malla EVA + moldeada u otras
Construcción:	Inyección de PU
Altura:	Tobillo bajo
Talla:	EUR 38-46
Estándar:	CE EN ISO 20345 S3 SRC u otros como sus requisitos
Garantizar:	6 meses
Función:	Resbalón / aceite / impacto / punción resistente, antiestático, a prueba de agua, absorción de impactos
Paquete:	1 par por caja de color, 10 pares por caja. Tamaño del cartón: 58,5 x 40 x 32,5 cm
Cantidad de carga del contenedor:	3300 pares / 1x20 'contenedor 6600 pares / contenedor 1x40 '

Product Pictures





Company Information





EC Type Examination Certificate

CE	<p>Issued to: FUJIAN HONGJIAN SHIWEI CO., LTD. SHANGU INDUSTRIAL ZONE, JINCHANG TOWN, NINGDE CITY, ZHEJIANG PROVINCE, CHINA</p> <p>Authorised Representative: Intertek Asia SAFETY PRODUCTS APC (S) LTD. 1201 Village Square Street, Anson Centre, Singapore 110624</p> <p>Date of Issue: 11 January 2018</p> <p>Expiry Date: 11 February 2020</p> <p>Certificate No.: L20170002947 (extension of certificate L20170024194)</p> <p>Product Reference(s): Safety Group: 28501-28600 28600-28624 28625-28638 28639-28619 28500-28619-287</p> <p>Description: Components: Terminal Mount Lead Wire Mount Test Equipment Test Fixture Category</p> <p>Function: Data transfer Data cable Cable Cable Plug/Port AC/DC Data connector for USB SFP Module</p>
-----------	---



Product Approval
Certificate No. L20170002947
Issued by Intertek (UK) Testing Services (UK) Limited

C.M. 

18012218
Date

18012218
Date



Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

SHOES MATERIALS



Genuine Cow Leather




CE Steel Toecap



CE Steel Plate



Composite Toecap



Different Eyelets



Durable Lace



Breathable Lining



Comfortable Insoles



PU or RUBBER or TPU soles

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY