

Product Description

Nombre del producto:	Botas de seguridad de cuero de nobuck con suela de goma de PU y puntera de acero
Artículo No:	BS003
Parte superior y suela:	Parte superior: cuero nobuck Suela: suela de PU y caucho (no tiene olor picante), resistente a la abrasión, al aceite y al deslizamiento
Dedo del pie:	1. Puntera de acero resistente a los impactos de 200 julios. 2. non también se proporciona.
Entresuela:	1) Acero plato a ser punción resistente 1100 Newton. 2) No es además previsto
Peso:	1,2 kilogramos / pr
Collar:	Tela oxford de alta densidad con esponja
Lengua:	Tela oxford de alta densidad y cuero de caballo loco
Recubrimiento:	Tela de malla sándwich aire negro y seco (tus pies se mantendrán secos y cómodos)
Plantilla:	HI-POLY o PU moldeados (reducen enormemente el dolor y la fatiga del trabajo diario)
Construcción:	Inyección
Altura:	Tobillo alto
Talla:	37-47 (3-13)
Estándar:	CE EN ISO 20345 SBP SRC u otros como sus requisitos
Garantizar:	6 meses
Paquete:	Embalaje de caja interior de color, 10 pares en una caja de cartón.
Tamaño del cartón	59 x 44 x 33 cm
Cantidad de carga del contenedor:	3200 pares / 1x20 'contenedor 6400 pares / contenedor 1x40 '

Product Pictures





Company Information





EC Type Examination Certificate



Issued to:	SHANGHAI HONGJIAN SHIBAO CO., LTD. SHANGHAI INDUSTRIAL ZONE, JIANGNAN TOWN, NUSUN 2017, SHANGHAI PROVINCE, CHINA		
Authorised Representative:	Intertek Asia SAFETY PRODUCTS APC (S) LTD. 1201 Village Square Street, #03-02/03, #04-02/03, Punggol Pointe, Singapore		
Date of Issue:	11 January 2018		
Expiry Date:	11 February 2020		
Certificate No.:	LEC170002947 (extension of certificate LEC170294194)		
Product Reference(s):	Safety Plug: 480V 10A/15A 480V 10A/20A 480V 10A/25A 480V 10A/30A 600 20A 30A 35A		
Description:	<table border="0" style="width: 100%;"> <tr> <td style="width: 50%;">Construction: Type: Material: Lead: Wire: Mount: Type Marking: Type Range: Category:</td> <td style="width: 50%;">Insulation: Over voltage: Over current: CCC: CCC (P-PLP): ACB: Over voltage Pt: UL-A: UL-A-ULB</td> </tr> </table>	Construction: Type: Material: Lead: Wire: Mount: Type Marking: Type Range: Category:	Insulation: Over voltage: Over current: CCC: CCC (P-PLP): ACB: Over voltage Pt: UL-A: UL-A-ULB
Construction: Type: Material: Lead: Wire: Mount: Type Marking: Type Range: Category:	Insulation: Over voltage: Over current: CCC: CCC (P-PLP): ACB: Over voltage Pt: UL-A: UL-A-ULB		



Product Name: Safety Plug	Model: 480V 10A/15A
Manufacturer: SHANGHAI HONGJIAN SHIBAO CO., LTD.	Model: 480V 10A/15A



Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY