

## Product Description

Nombre del producto:	zapatos de seguridad deportivos transpirables y ligeros con puntera de acero
Artículo No:	DTA037
Parte superior y suela:	Parte superior: tejido de punto transpirable 3D transpirable por aire Suela: PU de doble densidad delta plus suela
Dedo del pie:	1. Puntera de acero, puede ser resistente a los impactos de 200 julios. 2. non también se proporciona.
Entresuela:	1) Placa de acero, puede ser punción resistente 1100 Newton. 2) No es además previsto
Peso:	1.0 kilogramos / pr
Collar:	Tejido de vuelo 3D transpirable al aire
Lengua:	Tejido de malla de alta densidad
Revestimiento:	tela gris de malla sándwich aire y seco (sus pies se mantendrán secos y cómodos)
Plantilla:	EVA moldeada o HI-POLY o PU (reduce en gran medida el dolor y la fatiga del trabajo diario)
Construcción:	Inyección de PU
Altura:	Tobillo bajo
Talla:	37-47 (3-13)
Estándar:	CE EN ISO 20345 SB-P SRC u otros como sus requisitos
Garantizar:	6 meses
Paquete:	1 par por cOlor embalaje interno de la caja, 10 pares por caja.
Tamaño del cartón	58,5 x 40 x 32,5 cm
Cantidad de carga del contenedor:	3300 pares / 1x20 'contenedor 6600 pares / contenedor 1x40 '

## Product Pictures





## *Company Information*



**Intertek**

### EC Type Examination Certificate



**Issued to:** FUJIAN HONGJIAN SHISE CO., LTD.  
SHANGHAI INDUSTRIAL ZONE, JIANGNAN TOWN, NINGBO  
321117, ZHEJIANG PROVINCE, CHINA

**Authorised Representative:** HANDEHU SHANGHAI ELECTRICITY APPL. CO., LTD.  
1201 Village, Xujiao Town, Jiangyin District, Suzhou,  
Henanjiang Province, China

**Date of Issue:** 11 January 2018

**Expiry Date:** 11 February 2020

**Certificate No.:** L20170002947 (extension of certificate L20170294719)

**Product Reference(s):** Safety Group:  
4800V (380V)  
4800V (380V)  
4800V (380V)  
4800V (380V)  
4800V (380V)  
4800V (380V)

**Description:**

Construction:	Indoor
Terminal:	Open terminal
Material:	Open wire
Core:	CCC
Wire:	CCC (PVC)
Mark:	CCC
Test frequency:	See certificate No.
Test range:	380V
Category:	CCC class

**Authorized Representative:** *C.M.* 168712219

**Intertek Representative:** *[Signature]* 168712219

**Intertek Representative:** *[Signature]* 168712219

Intertek is a member of the Intertek Group of Companies, which is a member of the Intertek Group of Companies.



# Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

# SAFETY SHOES TEST



**Toecap Test  $\geq 200$  Joules**



**Midsole Test  $\geq 1200$  Newtons**



**ESD Anti-Static Test**



**Tear Strength  $\geq 120$ N**



**Bondness Test  
 $\geq 4.0$ N/mm**



**Flex Tester  $\geq 36,000$ T**

# SHOES MATERIALS



**Genuine Cow Leather**




**CE Steel Toecap**



**CE Steel Plate**



**Composite Toecap**



**Different Eyelets**



**Durable Lace**



**Breathable Lining**



**Comfortable Insoles**



**PU or RUBBER or TPU soles**

# Canton Fair



## SAFETY SHOES



## RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY