

## Product Description

Nombre del producto:	Zapatos de seguridad deportivos transpirables con suela de cuero y suela de cuero de pu
Artículo No:	DTA038
Parte superior y suela:	Parte superior: cuero de ante Suela: PU / PU de doble densidad delta plus suela
Dedo del pie:	1. Puntera de acero, puede ser resistente a los impactos de 200 julios. 2. non también se proporciona.
Entresuela:	1) Placa de acero, puede ser punción resistente 1100 Newton. 2) No es además previsto
Peso:	1.1 kilogramos / pr
Collar:	Cuero de ante
Lengua:	Cuero de ante
Recubrimiento:	Tela de malla tipo sándwich de aire (tus pies se mantendrán secos y cómodos)
Plantilla:	EVA moldeada o HI-POLY o PU (reduce en gran medida el dolor y la fatiga del trabajo diario)
Construcción:	Inyección de PU
Altura:	Tobillo bajo
Talla:	37-47 (3-13)
Estándar:	CE EN ISO 20345 SB-P SRC u otros como sus requisitos
Garantizar:	6 meses
Paquete:	1 par por cOlor embalaje interno de la caja, 10 pares por caja.
Tamaño del cartón	58,5 x 40 x 32,5 cm
Cantidad de carga del contenedor:	3300 pares / 1x20 'contenedor 6600 pares / contenedor 1x40 '

## Product Pictures





## ***Company Information***



**Intertek**

### EC Type Examination Certificate

<b>CE</b>	<b>Issued to:</b>	POWELL HONGKONG SHENZHEN CO., LTD. SHANGHAI INDUSTRIAL ZONE, JIANGNAN TOWN, NUDUN DISTRICT, SHANGHAI PROVINCE, CHINA
	<b>Authorised Representative:</b>	Intertek Asia SAFETY PRODUCTS APC (S) LTD. 1201 Village Square Street, Jersey Science Centre, Pangloss Park, China
	<b>Date of Issue:</b>	11 January 2018
	<b>Expiry Date:</b>	11 February 2020
	<b>Certificate No.:</b>	LEC170002947 (extension of certificate LEC170294794)
	<b>Product Reference(s):</b>	Safety Plug: 480V 10A/15A 480V 10A/20A 480V 10A/25A 480V 10A/30A 50V 20A 30A 50A
	<b>Description:</b>	Construction: Insulation Type: Plug socket Material: Steel plate Color: Silver Load: 2000 (Plug) Wire: AWG Mount: Plug socket for Type: Range: 20A/15A Category: 50V-50A

*C.M.* 1687-02947

**Product Approval** 1687-02947

Intertek Testing Services (UK) Limited



# Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

# SAFETY SHOES TEST



**Toecap Test  $\geq 200$  Joules**



**Midsole Test  $\geq 1200$  Newtons**



**ESD Anti-Static Test**



**Tear Strength  $\geq 120$ N**



**Bondness Test  
 $\geq 4.0$ N/mm**



**Flex Tester  $\geq 36,000$ T**

# SHOES MATERIALS




**Genuine Cow Leather**



**CE Steel Toecap**



**CE Steel Plate**



**Composite Toecap**



**Different Eyelets**



**Durable Lace**



**Breathable Lining**



**Comfortable Insoles**



**PU or RUBBER or TPU soles**

# Canton Fair



## SAFETY SHOES



## RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY