

Nombre del producto:	CE PAS botas de seguridad estándar de los zapatos
Artículo No:	3078
Superior y la suela:	cuero genuino superior, suela de PU de doble densidad.
Dedo del pie:	1. Puntera de acero para ser resistente al impacto. (ASTM F2413-05 M I / 75 C / 75, CE ENISO 20345 estándar, una variedad de adecuado Para escoger de)
	También se proporciona 2. dedo del pie no inoxidable.
Placa de acero : (Media suela de acero)	1. Placa de acero resistente a la punción. (ASTM F2413-05 M I / 75 C / 75, CE ENISO 20345 estándar, una variedad de ajuste para elegir)
	También se proporciona 2. Placa de acero no
Collar:	PU rellena con esponja de alta resistencia.
Lengua:	cuero genuino suave perfecta
Revestimiento:	TELA DE MALLA
La plantilla:	cómodo cojín
Construcción:	PU inyección
Altura:	Cortar Medio
Tamaño:	4-12 (38-46)
Garantía:	3 meses, de alta resistencia y calidad sólida.
Paquete:	Caja de color embalaje interno, 10 pares en una caja de cartón
Tamaño del cartón	56x38x31.5cm (38-40); 58.5x40x32.5cm (41-43); 61x42x35cm (44-46)
la cantidad de carga del envase:	3300pairs / contenedor 1x20 ' 8200pairs / 1x40 'envase del HQ

PREGUNTAS MÁS FRECUENTES:

1.Question: ¿Sombrero es su MOQ?

---- Nuestro MOQ es de 1000 pares por el estilo con el tamaño mezclado.

2.Question: ¿Puedo pedir muestras de un par antes de la orden del lugar?

---- Sí, podemos enviarle una muestra par de forma gratuita como el control de calidad, pero el cliente tenga que pagar el coste de mensajería por sí mismos, tales como DHL, TNT, Fedex, EMS, etc.

3.Question: ¿Tiene el certificado del CE, lo necesitamos despejar aduana?

---- Sí, nuestros productos pueden cumplir la norma CE, y tenemos la relación de cooperación con diferentes laboratorios internacionales, incluyendo Intertek desde el Reino Unido, Francia CTC de SABS de Sudáfrica, etc.










4.Question: ¿Cuál es su pago, ¿cómo le pagamos?

---- Nuestra empresa puede aceptar tanto T / T, y el pago L / C. Si usted tiene cualquier otro requisito de pago, deje por favor el mensaje o póngase en contacto con nuestro vendedor en línea directamente.


5. Pregunta: ¿Cuál es el tiempo de garantía de calidad?

---- zapatos de seguridad Este sytle hay 3 meses de garantía de calidad después de la expedición. Si los zapatos están rotos plazo de 3 meses, por favor, póngase en contacto con nosotros, vamos a compensar que los zapatos nuevos sin ningún pago.

historia de la exportación de calzado de seguridad:

<p>UAE Style: HS8088/ HS8089 Destination port: Jebel Ali Quantity: 9000 Pairs</p> <p>On December 2015 Dubai customer ordered one 40' HQ container safety shoes, they are one of our biggest customer and place one 40'HQ order every month.</p>	 	<p>SAUDI ARABIA Style: SF131B Destination port: Dammam Quantity: 8500 Pairs</p> <p>On November 2015 Saudi Arabia Customer ordered 8500 Pairs Safety Shoes with style SF131B. They are satisfied with our quality.</p>	  
<p>MEXICO Style: 8070 Destination port: Long Beach Quantity: 3300 Pairs</p> <p>On January and Sep. 2015 Mexico customer ordered two 20'FT container safety shoes with style 8070 safety shoes. They felt very satisfied.</p>	 	<p>KENYA Style: HS8088 Destination port: Mombasa Quantity: 8100 Pairs</p> <p>On Aug. 2015 Kenya customer ordered one 40' HQ safety shoes with style HS8088. They felt very satisfied with our quality delivery.</p>	 
<p>IRAQ Quantity: 7400 Pairs Destination port: Basra</p> <p>On May and Dec. 2015 Iraq customer ordered total three 40' HQ container miller steel and vaultex brand safety shoes. They felt very satisfied.</p>	 	<p>NIGERIA Style: HA2003T Destination port: Apapa Quantity: 1000 Pairs</p> <p>On Jan. 2015 Nigeria customer ordered 1000 pairs safety boots with style HA2003T.</p>	 

Zapatos de seguridad único modelo de demostración:



Certificado de seguridad de los zapatos de la CE:



EC Type Examination Certificate



Approved Body 0362

The safety footwear detailed herein meets the criteria of an EC Type Examination in accordance with Article 10 of the PPE Directive (89/686/EEC) including amendments and corrigendum up to 14/12/2010 for intermediate design category products.

This has been shown through satisfactory testing to EN ISO 20345: 2011 and examination of the Technical File Documentation.

Following an EC Declaration of Product Conformity you are hereby licensed to mark the product(s) detailed in accordance with Article 13 of the PPE Directive (89/686/EEC).

ITS Testing Services (UK) Ltd.
Centre Court
Meridian Business Park
Leicester, LE19 1WD
United Kingdom
Phone: +44 (0)116 263 0330
Fax: +44 (0)116 263 0311



www.intertek.com

Issued to	: RUIAN HONGSUN SHOES CO., LTD. QIANBU INDUSTRIAL ZONE, XINCHENG TOWN, RUIAN CITY, ZHEJIANG PROVINCE, CHINA
Authorised Representative	: HARBIN ANA SAFETY PRODUCTS MFG. CO., LTD. Lixin Village, Xinhua Town, Acheng District, Harbin, Heilongjiang Province, China
Date of Issue	: 13 January 2016
Expiry Date	: 11 February 2020
Certificate No.	: LEC FI00362467 (Extension of certificate LEC FI00347154)
Product Reference(s)	: Safety Shoes H8K01, H8K02 H8K03, H8K04 H8K05, H8K06 H8K07, H8K08 H8K09, H8K10
Description	: Construction : Injection Toecap : Steel toecap Midsole : Steel plate Last : 8000 Sole : 8000 PU/PU Mould : 8000 Test Report(s) : See technical file Size Range : 38-46 Category : SBP SRA



Assessor

13/01/2016

Date



Certification Manager

13/01/2016

Date

For and on behalf of ITS Testing Services (UK) Limited

Registered in England No. 1408264 Registered Office: Academy Place, 1-9 Brook Street, Brentwood, Essex, CM14 5NQ

This certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Certificate. Only the Client is authorized to permit copying or distribution of this Certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Certificate. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek.