

Product Description

Nombre del producto:	Botas de seguridad industrial antideslizantes con tobillo alto y puntera de acero para hombres
Artículo No:	HA3005
Parte superior y suela:	Parte superior: piel vaquera en relieve Suela: PU de doble densidad.
Dedo del pie:	1. Puntera de acero, puede ser resistente a los impactos de 200 julios. 2. non también se proporciona.
Entresuela:	1) Placa de acero, puede ser punción resistente 1100 Newton. 2) No es además previsto
Peso:	1,2 kilogramos / pr
Collar:	Cuero artificial PU con esponja
Lengua:	Cuero artificial PU, a prueba de arena
Revestimiento:	Tela de malla seca y al aire (tus pies se mantendrán secos y cómodos)
Plantilla:	EVA moldeado u otros (reducen enormemente el dolor y la fatiga del trabajo diario)
Construcción:	Inyección de PU
Altura:	Tobillo alto
Talla:	EUR 38-46 (EE. UU. 4-12)
Estándar:	CE EN ISO 20345 SBP SRC u otros como sus requisitos
Garantizar:	6 meses
Paquete:	1 par por cOlor embalaje interno de la caja, 10 pares por caja.
Tamaño del cartón	59 x 44 x 33 cm
Cantidad de carga del contenedor:	3000 pares / 1x20 'contenedor 6000 pares / contenedor 1x40 '

Product Pictures



Company Information



Intertek

EC Type Examination Certificate



Issued to: FUJIAN HONGJIAN SHISEI CO., LTD.
SHANGHAI INDUSTRIAL ZONE, JIANGNAN TOWN, NINGBO
321117, ZHEJIANG PROVINCE, CHINA

Authorised Representative: HANDEHU SHANGHAI PRODUCTIVE APPL. CO., LTD.
1201 Village, Xujiahui Town, Xujiahui Street, Shanghai
Pudong District, China

Date of Issue: 11 January 2018

Expiry Date: 11 February 2020

Certificate No.: L20170002947 (extension of certificate L20170294719)

Product Reference(s): Safety Group:
4800V (380V)
4800V (380V)
4800V (380V)
4800V (380V)
4800V (380V)
4800V (380V)

Description:

Construction:	Indoor
Terminal:	Open terminal
Material:	Open wire
Core:	CCC
Wire:	CCC (PVC)
Mark:	CCC
Test frequency:	See certificate No.
Test range:	380V
Category:	CCC-01A

Authorized Representative: *C.M.* 1687-0219

Intertek Representative: *[Signature]* 1687-0219

Intertek Testing Services (UK) Limited
110, West Nyack, New York 10994-2133, USA
Intertek Testing Services (China) Limited
27/F, 3rd Floor, South China Building, 101 South China Street, Hong Kong, China



Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY

2020 INTERSEC

SAFETY SHOES & RAIN BOOTS PROFESSIONAL

