

Product Description

Nombre del producto:	Los zapatos de seguridad con punta de acero de cuero negro más vendidos en Bangladesh
Artículo No:	HS1050
Parte superior y suela:	Parte superior: piel vaquera en relieve Suela: PU de doble densidad.
Dedo del pie:	1. Puntera de acero, puede ser resistente a los impactos de 200 julios. 2. non también se proporciona.
Entresuela:	1) Placa de acero, puede ser punción resistente 1100 Newton. 2) No es además previsto
Peso:	1.1 kilogramos / pr
Collar:	Cuero artificial PU con esponja
Lengua:	Cuero artificial de la PU
Revestimiento:	Aire gris y tela de malla seca (sus pies se mantendrán secos y cómodos)
Plantilla:	EVA moldeado u otros (reducen enormemente el dolor y la fatiga del trabajo diario)
Construcción:	Inyección de PU
Altura:	Tobillo bajo
Talla:	37-47 (3-13)
Estándar:	CE EN ISO 20345 SBP SRC u otros como sus requisitos
Garantizar:	6 meses
Paquete:	1 par por cOlOr embalaje interno de la caja, 10 pares por caja.
Tamaño del cartón	58,5 x 40 x 32,5 cm
Cantidad de carga del contenedor:	3300 pares / 1x20 'contenedor 6600 pares / contenedor 1x40 '

Product Pictures





Company Information



Intertek

EC Type Examination Certificate



Issued to: FUJIAN HONGJIAN SHISEI CO., LTD.
SHANGHAI INDUSTRIAL ZONE, JIANGNAN TOWN, NINGBO
321117, ZHEJIANG PROVINCE, CHINA

Authorised Representative: HANDEHU NEW SAFETY PRODUCTS APLC (S) LTD.
1201 Village, North Zone, Jiangyin District, Suzhou,
Henan Province, China

Date of Issue: 11 January 2018

Expiry Date: 11 February 2020

Certificate No.: L20170002947 (extension of certificate L20170004199)

Product Reference(s): Safety Valve
48501-08010
48500-08024
48501-08018
48501-08019
800 200 300 400

Description:

Construction:	Iron/Steel
Working Pressure:	20bar-10bar
Material:	Steel alloy
Size:	DN15
Port:	ISO Flange
Mount:	AC
Test Standard:	EN 10204 Part 2.2
Test Range:	10-16
Category:	009 A14

C.M. 1687-0218

 **Product Approval** 1687-0218

Intertek Testing Services (UK) Limited, 35 Littleport Way, Lutterworth, Leicestershire, LE15 9UR, UK
Intertek Testing Services (USA) Inc., 1901 Aviston Road, Des Plaines, Illinois, 60018, USA
Intertek Testing Services (AS) Pty Ltd, 1501 26th Avenue, Torrance, California, 90501, USA
Intertek Testing Services (India) Pvt. Ltd., 3rd Floor, Midc, Chakan, Pune District, Maharashtra - 411 006, India



Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



Bondness Test ≥ 4.0 N/mm



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY