Product Description

Nom du produit:	Chaussures de sécurité antidérapantes pour chantier TIGER MASTER en acier
Numéro d'article:	0160L
Tige et semelle:	Tige: cuir nubuck fendu Semelle: semelle en PU à double densité
Doigt de pied:	1. Embout en acier pour résister aux chocs 200 Joules.
	2. la pointe non en acier est également fournie.
Semelle intermédiaire:	1. La plaque d'acier doit être résistante à la perforation 1100 Newton.
	2. une plaque non en acier est également fournie
Collier:	cuir nubuck fendu
Langue:	Cuir suédé doux
Doublure:	Tissu mesh air et sec
Semelle intérieure:	EVA moulé recouvert de tissu à mailles d'air ou autres
Construction:	Injection PU
La taille:	Cheville basse
Taille:	EUR 38-46
La norme:	SB-P SRC ou autres
Garantie:	6 mois
Paquet:	Emballage de boîte intérieure de couleur, 10 paires dans un carton.
Taille du carton	58,5x40x32,5 cm
Charger la quantité de conteneur:	3200 paires / 1x20 'conteneur Conteneur de 6400 paires / 1x40 ’

Product Pictures

TIGER MASTER

OIL AND ACID RESISTANT SOLE

TIGER MASTER

Production Process

Raw Materials

Punching

Cutting

Sewing

Eyeletting

Riveting

Heat - Setting

Molding

Making up

Inspection

Packing

Finished Goods

SAFETY SHOES TEST

Toecap Test≥200 Joules

Midsole Test≥1200 Newtons

ESD Anti-Static Test

Tear Strength ≥120N

Bondness Test
≥4.0N/mm

Flex Tester ≥ 36,000T

Canton Fair

SAFETY SHOES

RAIN BOOTS

PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY

2020 INTERSEC

SAFETY SHOES & RAIN BOOTS PROFESSIONAL