

Product Description

Nom du produit:	Bottes de sécurité industrielles en cuir TIGER MASTER à bouts perforés en acier
Numéro d'article:	0166
Tige et semelle:	Tige: cuir nubuck fendu Semelle: semelle PU / PU double densité
Doigt de pied:	1. Bout en acier résistant aux chocs 200 Joules. 2. non est également fourni.
Semelle intermédiaire:	1. Plaque d'acier à être crevaison résistant 1100 newton. 2. Non est aussi à condition de
Poids:	1,2 kg / pr
Collier:	Cuir synthétique PU
Langue:	Cuir synthétique PU
Garniture:	Tissu en maille aérée (Vos pieds resteront confortables)
Semelle intérieure:	EVA moulé ou HI-POLY ou PU (Réduit considérablement la douleur et la fatigue du travail quotidien)
Construction:	Injection PU
La taille:	Coupe moyenne
Taille:	38-46
La norme:	CE EN ISO 20345 SB-P SRC ou autres selon vos besoins
Garantie:	6 mois
Une fonction:	Antidérapant / résistant à l'huile / aux chocs / aux perforations, antistatique, résistant à l'eau, absorption des chocs
Paquet:	1 paire par boîte de couleur, 10 paires par carton. Taille du carton: 59 x 44 x 33 cm
Charger la quantité de conteneur:	3200 paires / 1x20 'conteneur Conteneur de 6400 paires / 1x40 '

Product Pictures





Company Information



Intertek

EC Type Examination Certificate



Issued to: FUJIAN HONGJIAN SHISEI CO., LTD.
SHANGHAI INDUSTRIAL ZONE, JIANGNAN TOWN, NINGBO
321117, ZHEJIANG PROVINCE, CHINA

Authorised Representative: HANDEHU NEW SAFETY PRODUCTS APLC (S) LTD.
1201 Village, North Zone, Jiangyin District, Suzhou,
Henan Province, China

Date of Issue: 11 January 2018

Expiry Date: 11 February 2020

Certificate No.: L20170002947 (extension of certificate L20170004199)

Product Reference(s): Safety Valve
48501-08010
48500-08024
48501-08018
48501-08019
800 200 300 400

Description:

Construction:	Wetwell
Working Pressure:	20bar water
Material:	Steel plate
Size:	8000
Unit:	8000 (Pair)
Model:	8000
Mount:	ACB
Test Standard:	EN 12286-2:2012
Test Range:	20-40
Category:	800 400

Authorised Representative: HANDEHU NEW SAFETY PRODUCTS APLC (S) LTD.
1201 Village, North Zone, Jiangyin District, Suzhou,
Henan Province, China

Intertek Representative: Intertek (UK) Limited
3000 Market Towers, 150 Water Lane, Shenzhen, China

C.M. 1501/2018

Product Reference: 1501/2018

Product Reference: 1501/2018



Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

SHOES MATERIALS



Genuine Cow Leather




CE Steel Toecap



CE Steel Plate



Composite Toecap



Different Eyelets



Durable Lace



Breathable Lining



Comfortable Insoles



PU or RUBBER or TPU soles

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY