

Product Description

Nom du produit:	Chaussures de sécurité en acier anti-punition résistantes à l'huile rose
Numéro d'article:	DTA017
Upper et Sole:	Upper: Tissu tricoté volant 3D 3D respirant d'air Semelle: semelle à double densité PU / PU
Doigt de pied:	1. Casquette en acier pour avoir une résistance à l'impact de 200 joules. Pour protéger vos pieds sans danger. 2. Toe non en acier est également fourni.
Intermédiaire:	1. Plaque d'acier à ponction résistante à la ponction 1100 Newton. Pour protéger vos pieds sans ponction par clou ou objets tranchants 2. La plaque non acier est également fournie
Collier:	Tissu tricoté 3D volant
Langue:	Tissu haute densité
Garniture:	Tissu de maille sandwich à air souple (il sera gardé vos pieds confortables)
SOCKLINER:	Eva moulée anti-statique recouverte de tissu de maille d'air ou d'autres comme vos exigences (réduisez considérablement la douleur et la fatigue des pieds du travail quotidien)
Construction:	Injection de PU
Hauteur:	Cheville basse
Taille:	38-47
Standard:	CE EN ISO 20345: 2011 S1-P SRC ou autres.
Garantie:	6 mois
Paquet:	1 paires par cOLOR Inner Box Emballage, 10 paires dans un carton.
Taille de carton	58,5 x 40 x 32,5 cm
Charge Quantité de conteneur:	3300parties / 1x20 'conteneur 6600Pairs / 1x40 'Conteneur

Product Pictures





EU TYPE EXAMINATION CERTIFICATE intertek

CE Issued to: **HEINERBERG SAFETY LTD.**
 8000 PLYM PLAZA, NO 201 (87 MAGRANG ROAD, HAMBURG, CHINA)

Issue Date: 10 September 2024
 Expiry Date: 10 September 2029

APPROVED BODY: **INTERTEK**

The holder hereby declares under penalty of law that the product conforms to the applicable EU requirements and is in conformity with the applicable EU requirements.

Product Reference: **812128 (PVC-3102)**
 812128 (PVC-3102) (2)

Manufacturer: **Heinerberg Safety Ltd.**
 No. 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100

Material	PVC
Color	Black
Size	38-44
Weight	1.2kg
Temperature	-20 to 60°C
Application	Safety Shoes

Reference to CE Marking of the product: **812128 (PVC-3102)**

For more information please contact: **Intertek**

Intertek is a leading provider of testing, inspection and certification services worldwide. We are a member of the Intertek Group, which is a leading provider of testing, inspection and certification services worldwide.

Signature: *[Signature]* Date: 10/09/2024

Intertek is a leading provider of testing, inspection and certification services worldwide. We are a member of the Intertek Group, which is a leading provider of testing, inspection and certification services worldwide.

EWC

Certificate of Quality Management System

Certified that

Harbin Ana Safety Products Mfg. Co., Ltd.

Registered Address: No. 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100

Office Address: 302 Jiahua Building, No. 200 Changjiang Road, Nanjing District, Harbin City

China Standard Code: GB/T 19001-2016/ISO 9001:2015

Has established a Quality Management System which is in accordance with the Requirements of the Standard:

GB/T 19001-2016/ISO 9001:2015

SCOPE OF CERTIFICATION:

Manufacturer and Sales of Polyvinyl Chloride (PVC) Protective Rain Boots (Except for Production License Products)

Valid from: **May 7, 2024** to: **May 7, 2027**

Intertek is a leading provider of testing, inspection and certification services worldwide. We are a member of the Intertek Group, which is a leading provider of testing, inspection and certification services worldwide.

Signature: *[Signature]* Date: 10/09/2024

Intertek is a leading provider of testing, inspection and certification services worldwide. We are a member of the Intertek Group, which is a leading provider of testing, inspection and certification services worldwide.

EU TYPE EXAMINATION CERTIFICATE intertek

CE Issued to: **HARBIN ANA SAFETY PRODUCTS MFG. CO., LTD.**
 8000 PLYM PLAZA, NO 201 (87 MAGRANG ROAD, HAMBURG, CHINA)

Issue Date: 10 September 2024
 Expiry Date: 10 September 2029

APPROVED BODY: **INTERTEK**

The holder hereby declares under penalty of law that the product conforms to the applicable EU requirements and is in conformity with the applicable EU requirements.

Product Reference: **812128 (PVC-3102)**
 812128 (PVC-3102) (2)

Manufacturer: **Harbin Ana Safety Products Mfg. Co., Ltd.**
 No. 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100

Material	PVC
Color	Black
Size	38-44
Weight	1.2kg
Temperature	-20 to 60°C
Application	Safety Shoes

Reference to CE Marking of the product: **812128 (PVC-3102)**

For more information please contact: **Intertek**

Intertek is a leading provider of testing, inspection and certification services worldwide. We are a member of the Intertek Group, which is a leading provider of testing, inspection and certification services worldwide.

Signature: *[Signature]* Date: 10/09/2024

Intertek is a leading provider of testing, inspection and certification services worldwide. We are a member of the Intertek Group, which is a leading provider of testing, inspection and certification services worldwide.

[PRODUCTION PROCESS]



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



Bondness Test ≥ 4.0 N/mm



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY