

Nom du produit:	porcelaine bottes de sécurité industrielle
Point n °:	HA1007T
Upper et Sole:	Première couche en cuir supérieure, TPU.
Doigt de pied:	1. Embout en acier pour être résistant aux chocs. (ASTM F2413-05 M I / 75 C / 75, CE ENISO 20345 STANDARD, Une variété de raccord à choisir)
	2. non embout en acier est également fourni.
Plaque d'acier : (Semelle intercalaire en acier)	1. Plaque d'acier à la perforation résistante. (ASTM F2413-05 M I / 75 C / 75, CE ENISO 20345 STANDARD, Une variété de montage au choix)
	2. Plaque non-acier est également fourni
Collier:	PU rembourré avec robuste éponge.
Langue:	parfait PU souple
Doublure:	MESH FABRIC
Sockliner:	coussin confortable
Construction:	TPU injection
La taille:	Cut Moyen
Taille:	12.04 (38-46)
Une garantie:	3 mois, robuste et de qualité solide.
Paquet:	Couleur emballage de boîte intérieure, 10 paires dans un carton
Carton Taille	56x38x31.5cm (38-40); 58.5x40x32.5cm (41-43); 61x42x35cm (44-46)
quantité de conteneurs de charge:	3300-3500pairs / récipient 1x20 ' 8200-8500pairs / 1x40 'container HQ

TPU chaussures de sécurité unique de photos détaillées:





Chaussures de sécurité modèle unique show:



processus de production de chaussures de sécurité:

Production Process



Raw Materials



Punching



Cutting



Sewing



Eyeleting



Riveting



Heat-setting



Molding



Making Up



Inspection



Packing



Finish Products

Sécurité chaussures certificat CE show:



EC Type Examination Certificate



Approved Body 0362

The safety footwear detailed herein meets the criteria of an EC Type Examination in accordance with Article 10 of the PPE Directive (89/686/EEC) including amendments and corrigendum up to 14/12/2010 for intermediate design category products.

This has been shown through satisfactory testing to EN ISO 20345: 2011 and examination of the Technical File Documentation.

Following an EC Declaration of Product Conformity you are hereby licensed to mark the product(s) detailed in accordance with Article 13 of the PPE Directive (89/686/EEC).

ITS Testing Services (UK) Ltd.
Centre Court
Meridian Business Park
Leicester, LE19 1WD
United Kingdom
Phone: +44 (0)116 263 0330
Fax: +44 (0)116 263 0311



www.intertek.com

Issued to	: RUIAN HONGSUN SHOES CO., LTD. QIANBU INDUSTRIAL ZONE, XINCHENG TOWN, RUIAN CITY, ZHEJIANG PROVINCE, CHINA
Authorised Representative	: HARBIN ANA SAFETY PRODUCTS MFG. CO., LTD. Lixin Village, Xinhua Town, Acheng District, Harbin, Heilongjiang Province, China
Date of Issue	: 13 January 2016
Expiry Date	: 11 February 2020
Certificate No.	: LEC FI00362467 (Extension of certificate LEC FI00347154)
Product Reference(s)	: Safety Shoes H8K01, H8K02 H8K03, H8K04 H8K05, H8K06 H8K07, H8K08 H8K09, H8K10
Description	: Construction : Injection Toecap : Steel toecap Midsole : Steel plate Last : 8000 Sole : 8000 PU/PU Mould : 8000 Test Report(s) : See technical file Size Range : 38-46 Category : SBP SRA



Assessor

13/01/2016

Date



Certification Manager

13/01/2016

Date

For and on behalf of ITS Testing Services (UK) Limited

Registered in England No. 1408264 Registered Office: Academy Place, 1-9 Brook Street, Brentwood, Essex, CM14 5NQ

This certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Certificate. Only the Client is authorized to permit copying or distribution of this Certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Certificate. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek.