

## Product Description

Nom du produit:	Bottes de sécurité résistantes à la chaleur avec embout en acier 300 300 et embout d'acier pour le travail
Numéro d'article:	TC001
Dessus et semelle:	Tige: cuir de cheval craquelé Semelle: PU & Caoutchouc (il n'y a pas d'odeur piquante)
Doigt de pied:	1. Embout en acier résistant aux chocs de 200 joules. 2. non est également fourni.
Semelle intermédiaire:	1. Acier assiette à être crevaison résistant 1100 newton. 2 Non est aussi à condition de
Poids:	1,2 kg / pr
Collier:	Cuir artificiel en PU avec éponge
Langue:	Cuir artificiel en PU et cuir de cheval fendu fendu
Doublure:	Tissu en maille sandwich jaune air et sec (vos pieds seront ketp secs et confortables)
Semelle de propreté:	HI-POLY ou PU moulé (réduit considérablement la douleur et la fatigue liées au travail quotidien)
Construction:	Injection
La taille:	Cheville haute
Taille:	37-47 (3-13)
La norme:	CE EN ISO 20345 SBP SRC ou d'autres selon vos exigences
Garantie:	6 mois
Paquet:	Emballage intérieur en couleur, 10 paires dans un carton.
Taille du carton	59 x 44 x 33 cm
Quantité de chargement du conteneur:	Conteneur 3200paires / 1x20 ' Conteneur de 6400 paires / 1x40 '

## Product Pictures





***Company Information***



**Intertek**

### EC Type Examination Certificate



**Issued to:** FUJIAN HONGJIAN SHISEI CO., LTD.  
SHANGHAI INDUSTRIAL ZONE, JIANGNAN TOWN, NINGBO  
321117, ZHEJIANG PROVINCE, CHINA

**Authorised Representative:** HANDEHU SHANGHAI PRODUCTIVE APPL. CO., LTD.  
1201 Village, Xujiao Town, Jiangyin District, Suzhou,  
Henanjiang Province, China

**Date of Issue:** 11 January 2018

**Expiry Date:** 11 February 2020

**Certificate No.:** L20170002947 (extension of certificate L20170294719)

**Product Reference(s):** Safety Group:  
4850V-18A02  
4850V-18A04  
4850V-18A06  
4850V-18A08  
4850V-18A10  
4850V-18A12

**Description:**

Construction:	Insulation
Terminal:	Open contact
Material:	Open wire
Core:	0.02
Wire:	0.02 (PVC)
Mount:	ACB
Test frequency:	See technical file
Test range:	0.02-0.02
Category:	001-010

*C.M.* 1687-0218  
Date

 *P. Li* 1687-0218  
Date

Authorized Representative  
1201 Village, Xujiao Town, Jiangyin District, Suzhou,  
Henanjiang Province, China  
Tel: +86 512 5201 1111  
Fax: +86 512 5201 1112  
E-mail: hndh@hndh.com.cn

Intertek Testing Services (UK) Limited  
15, West Nyack Lane, Wyckoff, NJ 07481, USA  
Tel: +1 201 261 1313  
Fax: +1 201 261 1314  
E-mail: intertek@intertek.com



# Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

# Canton Fair



## SAFETY SHOES



## RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY