

DESCRIPTION

TIGER MASTER

1. Faites le travail correctement dans les chaussures de sécurité Tiger Master . Ces chaussures de sécurité sont construites avec une fermeture à lacets, un embout de sécurité en acier, une doublure qui évacue l'humidité pour aider à garder vos pieds au sec et une semelle en PU antidérapante pour une traction et une polyvalence ultime.
2. Embout en acier et milieu en acier unique que se rencontre CE normes . Pour protéger vos orteils sans danger. Pour protéger vos pieds sans perforation par des clous ou des objets pointus.
3. L'assise plantaire métatomique amovible en EVA offre un soutien et un confort durables sous le pied.
4. Antidérapant PU la semelle extérieure rencontre CE EN ISO 20345:2011 Normes de test antidérapantes.
5. Fabriqué en cuir de vachette fendu en relief, confortable, très flexible, respirant, anti-poussière et anti-vent.
6. Construction moulée par injection, qualité stable, vitesse rapide, protection de l'environnement.
7. Catégorie de chaussures de sécurité :
OB : Non-sécurité, **SB** : Avec bout en acier seulement, **SBP** : Avec embout en acier et semelle intermédiaire en acier
S1 : SBAnti-statique, **S1P** : Plaque d'acier S1 , **S2** : S1 preuve de l'eau, **S3** : S1P étanche à l'eau
8. Les chaussures de sécurité Tiger Master sont utilisées par les travailleurs pour éviter les blessures au travail. Votre sécurité est toujours notre préoccupation!

Numéro d'article :	TM036L
Dessus et semelle :	Tige : cuir de vache fendu gaufré ; Semelle : semelle PU/ PU double densité
Doigt de pied:	1. Embout en acier résistant aux chocs 200 joules. 2. non est également fourni.
Semelle intercalaire :	1. Semelle intermédiaire en acier résistante à la perforation 1100 newtons. 2. non est également fourni
Collier:	cuir artificiel PU
Langue:	cuir artificiel PU
Garniture:	Soft Air Mesh tissu doublure pour un confort ajusté
Protège-chaussures :	La semelle intérieure moulée en EVA amovible offre un soutien supérieur sous le pied et un confort amorti.
Construction:	Moulé par injection
Hauteur:	Coupe-bas
Taille:	36-47
Standard:	CE EN ISO 20345 S1-P SRC ou autres
Garantie:	6 mois La semelle n'est pas cassée du milieu ou retirée dans les six mois suivant l'arrivée des marchandises au port de destination. Aucune garantie pour la tige.
Fonction:	Antidérapant/ huile/ acide/ essence/ chimique/ choc/ anti-crevaisson, absorption des chocs, anti statique et résistant à l'eau.

Emballer:	1 paire par boîte de couleur , 10 paires par carton.Taille du carton : 58,5 x 40 x 32,5 cm
Charger la quantité de conteneur :	3300 paires/conteneur 1x20" 6600 paires/conteneur 1x40

PRODUCT PICTURES

TIGER MASTER



200 JOULE
TOECAP



SLIP-
RESISTANT



SHOCK
ABSORPTION



ANTI-STATIC



PETROL AND
CHEMICAL
RESISTANT



ANTI-NAIL
MIDSOLE



OIL
RESISTANT

TIGER MASTER®

CE APPROVED



Breathable Air Hole mesh

Water Resistant
Cow Leather

Abrasion Resistant
Supported Counterpart

Wide Fitting
Steel Toe Cap



Anti Static Performance

Heavy Duty Double
Density PU sole



Superior Comfortable
Memory Foam Insoles

Anti-nail Penetration Midsole Plate

01

Steel Toe

Anti-Shock Steel toe cap

Steel toe cap design giving protection from dangerous falling objects

European Standard Steel Toe Cap

- ① Steel toe shoes with CE EN ISO 20345:2011 standard
- ② Impact resistance of 200J
- ③ Widened Steel Toe
- ④ Pressure resistance > 15KN



02

Puncture Proof

Puncture Proof Midsole

**Steel mid-sole puncture proof 1100 newtons,
To protect your feet without puncture by nail or
sharp objects.**

Steel mid-sole



03

Anti-Slip

PU Out Sole

Slip-resistant PU outsole meets CE EN ISO 20345:2011
Non-Slip Testing Standards.

**Provides stronger wear-resisting,
a slip-resistant PU outsole for excellent stability.**



04

Waterproof

Upper & Insole

Waterproof Cow Leather Upper

Removable metatomical EVA footbed provides long-lasting underfoot support and comfort.



Waterproof leather upper



PACKING



COMPANY INFORMATION

TIGER MASTER

Tiger Master est fabricant de chaussures de sécurité et de bottes de pluie en PVC. Nous sommes certifiés système de gestion de la qualité ISO 9001:2015. En outre, certains de nos modèles de vente à chaud sont qualifiés CE ENISO 20345:2011 et ASTM F2413-18. Pendant ce temps, nous sommes également une marque professionnelle pour **EPI (Equipement de Protection Individuelle)** , notamment dans les domaines de gants de sécurité, vêtements de travail, casques, gilet de sécurité , casque antibruit/bouchon, sécurité y harnais , imperméable/costume etc. .

Merci de votre intérêt pour Tiger Master, j'espère que vous pourrez trouver les produits que vous voulez et commencer notre coopération commerciale. Si vous avez besoin de plus d'informations, n'hésitez pas à nous contacter, nous sommes toujours prêts ici.

EU TYPE EXAMINATION CERTIFICATE 

CE

Manufacturer: HELLONGJIANG SAFER CO., LTD
No. 1000, Heli Road, Heli District, Heilongjiang Province, Harbin, China

Issue Date: 21 September 2022

Expiry Date: 21 September 2027

Product Name: HELONGJIANG SAFER Helmets for Climbing (CE EN12407:2012)

Product Reference: HJ12407-2012-12000
HJ12407-2012-12001

Category:	Category 01	Category 02
Material:	Category 03	Category 04
Model:	Category 05	Category 06
Color:	Category 07	Category 08
Size:	Category 09	Category 10
Weight:	Category 11	Category 12
Volume:	Category 13	Category 14
Temperature:	Category 15	Category 16
Humidity:	Category 17	Category 18
Pressure:	Category 19	Category 20
Acceleration:	Category 21	Category 22
Vibration:	Category 23	Category 24
Shock:	Category 25	Category 26
Impact:	Category 27	Category 28
Drop:	Category 29	Category 30
Crush:	Category 31	Category 32
Compression:	Category 33	Category 34
Extension:	Category 35	Category 36
Flexion:	Category 37	Category 38
Bending:	Category 39	Category 40
Torsion:	Category 41	Category 42
Twisting:	Category 43	Category 44
Stretching:	Category 45	Category 46
Compression:	Category 47	Category 48
Extension:	Category 49	Category 50
Bending:	Category 51	Category 52
Torsion:	Category 53	Category 54
Twisting:	Category 55	Category 56
Stretching:	Category 57	Category 58
Compression:	Category 59	Category 60
Extension:	Category 61	Category 62
Bending:	Category 63	Category 64
Torsion:	Category 65	Category 66
Twisting:	Category 67	Category 68
Stretching:	Category 69	Category 70
Compression:	Category 71	Category 72
Extension:	Category 73	Category 74
Bending:	Category 75	Category 76
Torsion:	Category 77	Category 78
Twisting:	Category 79	Category 80
Stretching:	Category 81	Category 82
Compression:	Category 83	Category 84
Extension:	Category 85	Category 86
Bending:	Category 87	Category 88
Torsion:	Category 89	Category 90
Twisting:	Category 91	Category 92
Stretching:	Category 93	Category 94
Compression:	Category 95	Category 96
Extension:	Category 97	Category 98
Bending:	Category 99	Category 100

Intertek

Authorized Representative:  **Intertek**

Issue Date: 21 September 2022

Expiry Date: 21 September 2027

For use on behalf of CE Marking, see EN12407:2012


Certificate of Quality Management System
Certificate No.: 0880192
Certified that
HELLONGJIANG SAFER CO., LTD.
1000 Heli Road, Heli District, Heilongjiang Province, Harbin, China
has established a Quality Management System which is in accordance with the requirements of the Standard as set out in Clause 1 of **GB/T 19001-2015/ISO 9001:2015**
SCOPE OF CERTIFICATION:
Sales of Personal Protective Equipments (Foot Protective, Head Protective, Hand Protective and Body Protective) and Traffic Safety Products (Safety Net, Road Cone, Safety Barrier, Speed Bump, Warning Belt, Caution Light, Triangle Sign, Baton, Reflecting Mirror, Reflector, Reflective Corner Guard and Reflecting Spike)
Issue Date: 04/11/2022
Valid until: 03/11/2025
This certificate is valid provided that the certified organization complies with the conditions of the contract and the terms of the certificate. The certificate is subject to the terms and conditions of the contract and the terms of the certificate.
ANAB IAF

EU TYPE EXAMINATION CERTIFICATE 

CE

Manufacturer: HELONGJIANG SAFER CO., LTD
No. 1000, Heli Road, Heli District, Heilongjiang Province, Harbin, China

Issue Date: 21 September 2022

Expiry Date: 21 September 2027

Product Name: HELONGJIANG SAFER Helmets for Climbing (CE EN12407:2012)

Product Reference: HJ12407-2012-12000
HJ12407-2012-12001

Category:	Category 01	Category 02
Material:	Category 03	Category 04
Model:	Category 05	Category 06
Color:	Category 07	Category 08
Size:	Category 09	Category 10
Weight:	Category 11	Category 12
Volume:	Category 13	Category 14
Temperature:	Category 15	Category 16
Humidity:	Category 17	Category 18
Pressure:	Category 19	Category 20
Acceleration:	Category 21	Category 22
Vibration:	Category 23	Category 24
Shock:	Category 25	Category 26
Impact:	Category 27	Category 28
Drop:	Category 29	Category 30
Crush:	Category 31	Category 32
Compression:	Category 33	Category 34
Extension:	Category 35	Category 36
Bending:	Category 37	Category 38
Torsion:	Category 39	Category 40
Twisting:	Category 41	Category 42
Stretching:	Category 43	Category 44
Compression:	Category 45	Category 46
Extension:	Category 47	Category 48
Bending:	Category 49	Category 50
Torsion:	Category 51	Category 52
Twisting:	Category 53	Category 54
Stretching:	Category 55	Category 56
Compression:	Category 57	Category 58
Extension:	Category 59	Category 60
Bending:	Category 61	Category 62
Torsion:	Category 63	Category 64
Twisting:	Category 65	Category 66
Stretching:	Category 67	Category 68
Compression:	Category 69	Category 70
Extension:	Category 71	Category 72
Bending:	Category 73	Category 74
Torsion:	Category 75	Category 76
Twisting:	Category 77	Category 78
Stretching:	Category 79	Category 80
Compression:	Category 81	Category 82
Extension:	Category 83	Category 84
Bending:	Category 85	Category 86
Torsion:	Category 87	Category 88
Twisting:	Category 89	Category 90
Stretching:	Category 91	Category 92
Compression:	Category 93	Category 94
Extension:	Category 95	Category 96
Bending:	Category 97	Category 98
Torsion:	Category 99	Category 100

Intertek

Authorized Representative:  **Intertek**

Issue Date: 21 September 2022

Expiry Date: 21 September 2027

For use on behalf of CE Marking, see EN12407:2012

TIGER MASTER OFFICE SHOW



TIGER MASTER SAMPLE ROOM



SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

PERSONAL PROTECTIVE EQUIPMENT WORK SAFETY SOLUTION PROVIDER

Link to PPE products website <https://china-workwear.com>



Safety Work Shoes

[View More](#)



PVC Rain Boots

[View More](#)



Military Army Boots

[View More](#)



Rain Coat/ Suit

[View More](#)



Work Garments

[View More](#)



Reflective Safety Vest

[View More](#)



Safety Work Gloves

[View More](#)



Safety Helmets

[View More](#)



Safety Harness

[View More](#)



Ear muff/ Plugs

[View More](#)



Safety Goggles

[View More](#)



Warning Tape

[View Details](#)