

Product Description

Nom du produit:	Acier en cuir noir doigt de pied acier milieu plaque antidérapante Hommes chaussures sécurité
Numéro d'article:	Tm3026
Upper et Sole:	Tige: cuir de vachette divisé en relief Semelle: semelle à double densité PU / PU
Doigt de pied:	1. Casquette en acier pour avoir une résistance à l'impact de 200 joules. Pour protéger vos pieds sans danger. 2. Toe non en acier est également fourni.
Intermédiaire:	1. Plaque d'acier à ponction résistante à la ponction 1100 Newton. Pour protéger vos pieds sans ponction par clou ou objets tranchants 2. La plaque non acier est également fournie
Collier:	Cuir artificiel PU avec éponge
Langue:	Cuir de vache en relief
Garniture:	Tissu de maille d'air souple (il sera gardé vos pieds confortables)
SOCKLINER:	Eva moulé recouvert de tissu de maille d'air ou d'autres (Réduisez considérablement la douleur et la fatigue de vos pieds du travail quotidien)
Construction:	Injection de PU
Hauteur:	Cheville basse
Taille:	37-47
Standard:	CE EN ISO 20345: 2011 SB-P SRC ou autres.
Garantie:	6 mois La semelle n'est pas cassée du milieu ou s'est arrêtée dans les six mois suivant que les marchandises arrivent au port de destination. Aucune garantie pour la partie supérieure.
Emballer:	1 paires par cOlor Inner Box Emballage, 10 paires dans un carton.
Taille de carton	58,5 x 40 x 32,5 cm
Charge Quantité de conteneur:	3300 parties / 1x20 'conteneur 6600 Paires / 1x40 'Conteneur

Product Pictures





EU TYPE EXAMINATION CERTIFICATE **intertek**

CE **EN ISO 20345**

Issued to: **HEINERBANG SAFETY CO., LTD.**
EN16751 PLAIN, NO. 205 (1ST FLOOR) ROAD, YANBAI, CHINA

Issue Date: 15 September 2020

Expiry Date: 14 September 2024

Approved Body: 1113/0044/111 (Euronorm by Intertek Ltd) (UK)

Product Reference(s): H7015 (PVC) (S1)
 H7015 (PVC) (S2)

Manufacturer:

Country:	China
Province:	Henan
City:	Xiayu
Address:	1113/0044/111

Reference to CE Marking: EN ISO 20345

Signature: _____ **Date:** 15/09/2020

Intertek Manager: _____ **Date:** 15/09/2020

Intertek is not responsible for the safety of the product after the date of certification. Intertek is not responsible for the safety of the product after the date of certification. Intertek is not responsible for the safety of the product after the date of certification.

EWBC

Certificate of Quality Management System

Certified that
Harbin Ana Safety Products Mfg. Co., Ltd.

Has established a Quality Management System which is in accordance with the Requirements of the Standard:
GB/T 19001-2016/ISO 9001:2015

SCOPE OF CERTIFICATION:
Manufacturer and Sales of Polyvinyl Chloride (PVC) Protective Rain Boots (Except for Production License Products)

Issued on: _____
 Validity of Certification: May 7, 2020 to May 5, 2024
 Expiry Date of the Certificate: May 5, 2024

This certificate is valid provided that the manufacturer maintains full compliance with the requirements of the standard and that the manufacturer provides satisfactory evidence of continuing compliance with the requirements of the standard.

Intertek

ANAB IAF

Intertek is not responsible for the safety of the product after the date of certification. Intertek is not responsible for the safety of the product after the date of certification.

EU TYPE EXAMINATION CERTIFICATE **intertek**

CE **EN ISO 20345**

Issued to: **HARBIN ANA SAFETY PRODUCTS MFG. CO., LTD.**
LIANG HUIJIAO, HENAN TOWN, ACHANG DISTRICT, ZHANGZHOU, HENAN PROVINCE, CHINA

Issue Date: 15 September 2020

Expiry Date: 14 September 2024

Approved Body: 1113/0044/111 (Euronorm by Intertek Ltd) (UK)

Product Reference(s): H7015 (PVC) (S1)
 H7015 (PVC) (S2)

Manufacturer:

Country:	China
Province:	Henan
City:	Xiayu
Address:	1113/0044/111

Reference to CE Marking: EN ISO 20345

Signature: _____ **Date:** 15/09/2020

Intertek Manager: _____ **Date:** 15/09/2020

Intertek is not responsible for the safety of the product after the date of certification. Intertek is not responsible for the safety of the product after the date of certification.

[PRODUCTION PROCESS]



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY