

Product Description

Product Name:	Low ankle light weight fashion sport safety shoes
Item No:	608
Upper and Sole:	Air breathable 3D flying knitted fabric upper, Soft EVA & rubber sole
Toe cap:	Steel toe cap to be impact resistant 200 joules. (ASTM F2413-18 M I/75 C/75, CE EN ISO 20345 standard) Non is also provided.
Mid sole:	Non-metallic anti-penetration mid sole to be puncture resistant 1100 newton. (ASTM F2413-18 M I/75 C/75, CE EN ISO 20345 standard) Non is also provided.
Standard:	CE EN ISO 20345 SBP SRC or others
Lace:	Durable flat shoes lace
Collar & Tongue:	3D flying knitted fabric
Weight:	850g per pair
Lining:	Breathable air mesh fabric
Sockliner:	Moulded EVA or HI-POLY or PU
Construction:	Cemented
Height:	Low ankle
Size:	36-46
Guarantee:	3 months
Function:	Slip/ oil/ impact/ puncture resistant, lightweight, breathable, shock absorption
Package:	1 pair per color box, 10 pairs per carton. Carton size is 58.5 x 40 x 32.5 cm
Load quantity of Container:	3300pairs /1x20' container 6600pairs /1x40' container

Product Pictures

SHOW

WHITE BACKGROUND





SHOW

DETAIL DISPLAY


- ***Air breathable 3D fly knitting fabric***



- **EVA & RUBBER SOLE**



- **Breathable air mesh lining**



Model Show

MODEL SHOW



— / SIMPLE TRAVEL AND COMFORTABLE WEAR /





- / SIMPLE TRAVEL AND COMFORTABLE WEAR /





SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY