Product Name:	Low cut steel toe anti puncture sport style safety shoes				
Item No:	6503K				
Upper and Sole:	3D fly knitted fabric upper; PU sole				
Toe:	Steel toe cap to be impact resistant. To protect your feet toe without hazard.				
	2. non is also provided.				
Midsole :	1. Non-metallic anti-penetration insoles to be puncture resistant. To protect your feet without puncture by nail or sharp objects.				
	2. non is also provided				
Collar:	3D fly knitted fabric				
Tongue:	High density fabric				
Lining:	Soft breathable mesh fabric lining for added comfort				
Shoe pads:	Removable EVA or HI-POLY insole offers superior underfoot support and cushioned comfort.				
Construction:	Injection moulded				
Height:	Low cut				
Size:	36-47				
Standard:	CE EN ISO 20345:2011 SB-P SRC or others.				
Guarantee:	6 months The sole is not broken from the middle or pulled off within six month after the goods getting to destination port. No guarantee for the upper.				
Function:	Oil/ acid/ petrol/ chemical/ impact/ puncture/ abrasion resistant, non-slip, lightweight, shock absorption.				
Package:	1 pair per color box, 10 pairs per carton. Carton size: 58.5 x 40 x 32.5 cm				
Load quantity of Container:	3300pairs /1x20' container 6600pairs /1x40' container				

Product Pictures







SLIP-RESISTANT



SHOCK ABSORPTION





ANTI-STATIC PETROL AND CHEMICAL RESISTANT



ANTI-NAIL MIDSOLE



OIL RESISTANT














Company Information

Tiger Master is safety shoes and PVC rain boots manufacturer. We have been qualified ISO 9001:2015 quality management system. Also, some of our hot sale models have qualified CE ENISO 20345:2011 and ASTM F2413-18. Meanwhile, we are also a professional brand for PPE (Personal Protective Equipment), especially in the fields of safety gloves, working garments, helmets, safety vest, ear muff/plug, safety harness, rain coat/suit etc.

Thank you for your interest of Tiger Master, hope you can find the products you want and start our business cooperation. If you need more information, please do not hesitate to contact us, we are always ready here.







SAFETY SHOES TEST





Toecap Test≥200 Joules



Midsole Test≥1200 Newtons



ESD Anti-Static Test



Tear Strength ≥120N




Bondness Test ≥4.0N/mm



Flex Tester ≥ 36,000T

Production Process



Canton Fair





SAFETY SHOES



RAIN BOOTS





PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY