

Product Description

Product Name:	Low ankle black soft steel toe puncture proof sport men safety shoes
Item No:	701
Upper and Sole:	Upper is air breathable 3D flying knitted fabric Sole is soft EVA
Toe cap:	Steel toe cap or composite toe cap to be impact resistant 200 joules. (ASTM F2413-18 M I/75 C/75, CE EN ISO 20345 standard) Non is also provided.
Mid sole:	Non-metallic anti-penetration insoles to be puncture resistant 1100 newton. (ASTM F2413-18 M I/75 C/75, CE EN ISO 20345 standard) Non is also provided.
Weight:	0.70 kgs/ pr
Style:	Laced up
Collar:	3D flying knitted fabric
Tongue:	3D flying knitted fabric
Lining:	Breathable air mesh fabric
Sockliner:	Moulded EVA or HI-POLY or PU
Construction:	Cemented
Height:	Low ankle
Size:	EUR 36-48
Guarantee:	3 months
Function:	Slip/ oil/ impact/ puncture resistant, anti static, shock absorption, light weight, breathable.
Package:	1 pair per color box, 10 pairs per carton. Carton size is 58.5 x 40 x 32.5 cm
Load quantity of Container:	3300pairs /1x20' container 6600pairs /1x40' container

Product Pictures







Huade®

重量

8.8345

克

去皮

单位

去皮

去皮

去皮

上海华德衡器有限公司





Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY