

## Product Description

Product Name:	Grey suede leather anti slip steel toe puncture proof safety shoes work
Item No:	H17
Upper and Sole:	Upper: Genuine cow suede leather Sole: Rubber
Toe cap:	1. Steel toe cap or composite toe cap to be impact resistant 200 Joules. To protect your feet toe without hazard. 2. non is also provided.
Midsole :	1. Non-metallic anti-penetration insoles to be puncture resistant 1100 Newton. To protect your feet without puncture by nail or sharp objects 2. non is also provided
Collar:	Suede leather
Tongue:	Suede leather
Lining:	Soft air sandwich mesh fabric for a comfort fit
Sockliner:	Anti static Moulded EVA coated with air mesh fabric or others (Greatly reduce your feet pain & fatigue from daily work)
Construction:	Cemented
Height:	Low cut
Size:	36-47
Standard:	CE EN ISO 20345:2011 SB-P SRC or others.
Guarantee:	6 months The sole is not broken from the middle or pulled off within six month after the goods getting to destination port. No guarantee for the upper.
Function:	Oil/ acid/ petrol/ chemical/ impact/ puncture resistant, anti slip, breathable, shock absorption, anti static.
Package:	1 pair per color box, 10 pairs per carton. carton size: 58.5 X 40 X 32.5 CM
Load quantity of Container:	3300pairs /1x20' container 6600pairs /1x40' container

## Product Pictures



**200 JOULE  
TOECAP**



**SLIP-  
RESISTANT**



**SHOCK  
ABSORPTION**



**ANTI-STATIC**



**PETROL AND  
CHEMICAL  
RESISTANT**



**ANTI-NAIL  
MIDSOLE**



**OIL  
RESISTANT**



# Product Show





# SAFETY

The protection effect you want

FRESH AND BREATHABLE PROTECTIVE SHOES

European standard steel toe cap



# SAFETY

The protection effect you want

FRESH AND BREATHABLE PROTECTIVE SHOES

Bulletproof fabric to prevent piercing Kevlar midsole



# BREATHABLE VAMP

The breathable experience you want

FRESH AND BREATHABLE PROTECTIVE SHOES

Breathable leather upper

The vamp has air holes to increase the inside and outside of the shoe

# MD-SOLE

The anti-slip effect you want

FRESH AND BREATHABLE PROTECTIVE SHOES

Three-dimensional shock absorption design

Lightweight TPR sole  
Light elastic alkali shock  
antiskid









# SAFETY SHOES TEST



**Toecap Test  $\geq 200$  Joules**



**Midsole Test  $\geq 1200$  Newtons**



**ESD Anti-Static Test**



**Tear Strength  $\geq 120$ N**



**Bondness Test  
 $\geq 4.0$ N/mm**



**Flex Tester  $\geq 36,000$ T**



# Canton Fair



## SAFETY SHOES



## RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY

