DESCRIPTION

TIGER MASTER

Product Name: yellow pvc safety rain boots with steel toe and stee mid sole Item No: GB08 Color: Yellow upper with black sole Size: 38-46 Height: 39 cm (Average) Average weight 2.0-2.2 kgs per pair Material 100% pure PVC material (easy to wash) Lining: Polyester (easily dried fabric) Construction PVC injection Standard Meet CE standard 1. Water / Acid / Alkali / oil / grease resistant, non-slip, anti-static pvc boots. 2. outsole is abrasion resistant and Contract. 3. Ankle protection, energy absorption on the heel seat region, strengthening to and heel. 4. Steel toe cap to be impact resistant 200 joues. 5. Steel mid plate to be puncture resistant 1100 newtons. Usage: Oil industry, construction, mining, agriculture, farming, garden etc. Guarantee: 6 months Package: 1 pair per poly bag, 10 pairs per carton. Carton size: 50 x 30 x 48 cm Delivery time: About 40 days after receiving the deposit.		
Color: Yellow upper with black sole Size: 38-46 Height: 39 cm (Average) Average weight 2.0-2.2 kgs per pair Material 100% pure PVC material (easy to wash) Lining: Polyester (easily dried fabric) Construction PVC injection Standard Meet CE standard 1. Water / Acid / Alkali / oil / grease resistant, non-slip, anti-static pvc boots. 2. outsole is abrasion resistant and Contract. 3. Ankle protection, energy absorption on the heel seat region, strengthening to and heel. 4. Steel toe cap to be impact resistant 200 joues. 5. Steel mid plate to be puncture resistant 1100 newtons. Usage: Oil industry, construction, mining, agriculture, farming, garden etc. Guarantee: 6 months Package: 1 pair per poly bag, 10 pairs per carton. Carton size: 50 x 30 x 48 cm	Product Name:	yellow pvc safety rain boots with steel toe and stee mid sole
Size: 38-46 Height: 39 cm (Average) Average weight 2.0-2.2 kgs per pair Material 100% pure PVC material (easy to wash) Lining: Polyester (easily dried fabric) Construction PVC injection Standard Meet CE standard 1. Water / Acid / Alkali / oil / grease resistant, non-slip, anti-static pvc boots. 2. outsole is abrasion resistant and Contract. 3. Ankle protection, energy absorption on the heel seat region, strengthening to and heel. 4. Steel toe cap to be impact resistant 200 joues. 5. Steel mid plate to be puncture resistant 1100 newtons. Usage: Oil industry, construction, mining, agriculture, farming, garden etc. Guarantee: 6 months Package: 1 pair per poly bag, 10 pairs per carton. Carton size: 50 x 30 x 48 cm	Item No:	GB08
Height: 39 cm (Average) Average weight 2.0-2.2 kgs per pair Material 100% pure PVC material (easy to wash) Lining: Polyester (easily dried fabric) Construction PVC injection Standard Meet CE standard 1. Water / Acid / Alkali / oil / grease resistant, non-slip, anti-static pvc boots. 2. outsole is abrasion resistant and Contract. 3. Ankle protection, energy absorption on the heel seat region, strengthening to and heel. 4. Steel toe cap to be impact resistant 200 joues. 5. Steel mid plate to be puncture resistant 1100 newtons. Usage: Oil industry, construction, mining, agriculture, farming, garden etc. Guarantee: 6 months Package: 1 pair per poly bag, 10 pairs per carton. Carton size: 50 x 30 x 48 cm	Color:	Yellow upper with black sole
Average weight Average weight 2.0-2.2 kgs per pair Material 100% pure PVC material (easy to wash) Lining: Polyester (easily dried fabric) Construction PVC injection Standard Meet CE standard 1. Water / Acid / Alkali / oil / grease resistant, non-slip, anti-static pvc boots. 2. outsole is abrasion resistant and Contract. 3. Ankle protection, energy absorption on the heel seat region, strengthening to and heel. 4. Steel toe cap to be impact resistant 200 joues. 5. Steel mid plate to be puncture resistant 1100 newtons. Usage: Oil industry, construction, mining, agriculture, farming, garden etc. Guarantee: 6 months Package: 1 pair per poly bag, 10 pairs per carton. Carton size: 50 x 30 x 48 cm	Size:	38-46
Material 100% pure PVC material (easy to wash) Lining: Polyester (easily dried fabric) Construction PVC injection Standard Meet CE standard 1. Water / Acid / Alkali / oil / grease resistant, non-slip, anti-static pvc boots. 2. outsole is abrasion resistant and Contract. 3. Ankle protection, energy absorption on the heel seat region, strengthening to and heel. 4. Steel toe cap to be impact resistant 200 joues. 5. Steel mid plate to be puncture resistant 1100 newtons. Usage: Oil industry, construction, mining, agriculture, farming, garden etc. Guarantee: 6 months Package: 1 pair per poly bag, 10 pairs per carton. Carton size: 50 x 30 x 48 cm	Height:	39 cm (Average)
Lining: Polyester (easily dried fabric) Construction PVC injection Standard Meet CE standard 1. Water / Acid / Alkali / oil / grease resistant, non-slip, anti-static pvc boots. 2. outsole is abrasion resistant and Contract. 3. Ankle protection, energy absorption on the heel seat region, strengthening to and heel. 4. Steel toe cap to be impact resistant 200 joues. 5. Steel mid plate to be puncture resistant 1100 newtons. Usage: Oil industry, construction, mining, agriculture, farming, garden etc. Guarantee: 6 months Package: 1 pair per poly bag, 10 pairs per carton. Carton size: 50 x 30 x 48 cm	Average weight	2.0-2.2 kgs per pair
Construction PVC injection Standard Meet CE standard 1. Water / Acid / Alkali / oil / grease resistant, non-slip, anti-static pvc boots. 2. outsole is abrasion resistant and Contract. 3. Ankle protection, energy absorption on the heel seat region, strengthening to and heel. 4. Steel toe cap to be impact resistant 200 joues. 5. Steel mid plate to be puncture resistant 1100 newtons. Usage: Oil industry, construction, mining, agriculture, farming, garden etc. Guarantee: 6 months Package: 1 pair per poly bag, 10 pairs per carton. Carton size: 50 x 30 x 48 cm	Material	100% pure PVC material (easy to wash)
Standard Meet CE standard 1. Water / Acid / Alkali / oil / grease resistant, non-slip, anti-static pvc boots. 2. outsole is abrasion resistant and Contract. 3. Ankle protection, energy absorption on the heel seat region, strengthening to and heel. 4. Steel toe cap to be impact resistant 200 joues. 5. Steel mid plate to be puncture resistant 1100 newtons. Usage: Oil industry, construction, mining, agriculture, farming, garden etc. Guarantee: 6 months Package: 1 pair per poly bag, 10 pairs per carton. Carton size: 50 x 30 x 48 cm	Lining:	Polyester (easily dried fabric)
1. Water / Acid / Alkali / oil / grease resistant, non-slip, anti-static pvc boots. 2. outsole is abrasion resistant and Contract. 3. Ankle protection, energy absorption on the heel seat region, strengthening to and heel. 4. Steel toe cap to be impact resistant 200 joues. 5. Steel mid plate to be puncture resistant 1100 newtons. Usage: Oil industry, construction, mining, agriculture, farming, garden etc. Guarantee: 6 months Package: 1 pair per poly bag, 10 pairs per carton. Carton size: 50 x 30 x 48 cm	Construction	PVC injection
2. outsole is abrasion resistant and Contract. 3. Ankle protection, energy absorption on the heel seat region, strengthening to and heel. 4. Steel toe cap to be impact resistant 200 joues. 5. Steel mid plate to be puncture resistant 1100 newtons. Usage: Oil industry, construction, mining, agriculture, farming, garden etc. Guarantee: 6 months Package: 1 pair per poly bag, 10 pairs per carton. Carton size: 50 x 30 x 48 cm	Standard	Meet CE standard
Guarantee: 6 months Package: 1 pair per poly bag, 10 pairs per carton. Carton size: 50 x 30 x 48 cm	Characteristics	 outsole is abrasion resistant and Contract. Ankle protection, energy absorption on the heel seat region, strengthening toe and heel. Steel toe cap to be impact resistant 200 joues.
Package: 1 pair per poly bag, 10 pairs per carton. Carton size: 50 x 30 x 48 cm	Usage:	Oil industry, construction, mining, agriculture, farming, garden etc.
	Guarantee:	6 months
Delivery time: About 40 days after receiving the deposit.	Package:	1 pair per poly bag, 10 pairs per carton. Carton size: 50 x 30 x 48 cm
<u> </u>	Delivery time:	About 40 days after receiving the deposit.

PRODUCT PICTURES

TIGER MASTER





STEEL TOE CAP

European Standard Steel Toe Cap





PUNCTURE PROOF

Steel mid-sole keep your feet safety





100% WATERPROOF

PVC upper and PVC sole





SLIP RESISTANT

PVC outsole and CE/ ASTM anti slip standard



COMPANY INFORMATION

TIGER MASTER

Tiger Master is safety shoes and PVC rain boots manufacturer. We have been qualified ISO 9001:2015 quality management system. Also, some of our hot sale models have qualified CE ENISO 20345:2011 and ASTM F2413-18. Meanwhile, we are also a professional brand for PPE (personal protective equipment), especially in the fields of safety gloves, working garments, helmets, safety vest, ear muff/plug, safety harness, rain coat/suit etc.

All of our products are extensively applied to general industrial work, construction, oil field,

mining, agriculture, material handling, welding and driving. After many years of effort, we have made rapid progress and become one of the experienced manufacturers and suppliers of safety products in markets all over the world. We have exported to over 100 countries and regions, our customers are satisfied with our products.

Thank you for your interest of Tiger Master, hope you can find the products you want and start our business cooperation. If you need more information, please do not hesitate to contact us, we are always ready here.

















PERSONAL PROTECTIVE EQUIPMENT WORK SAFETY SOLUTION PROVIDER

Link to PPE products website https://china-workwear.com























