

Product Name:	CE standard mining PVC safety rain boots
Item No:	BRS
rain boot color	Black upper with red sole
Cut	36-47 (13/2)
size	39CM (full height), 34CM (height), 29CM (low height)
Average weight	2.5kgs / PAIR (with steel toe and steel plates)
upper material	100% pure PVC material + Plasticizer for both sole and (easy to wash)
lined rain boots	Polyester (easily dried Fabric)
Construction	PVC injection
Standard	Meet CE EN ISO 20345 standard (with steel toe and steel plates)
Shockproof (Steel Toe Protection)	Meet 200 Joule
Compression Resistant (Steel Toe Protection)	Meet Newton 1500
Puncture (steel skid plate)	Meet Newton 1100
Characteristics	<ol style="list-style-type: none"> <li>1. Water / Acid / Alkali / oil / grease resistant, non-slip, anti-static rubber boots.</li> <li>2. Steel toe can be Impact &amp; amp; amp; compression resistant.</li> <li>3. steel plate can be puncture resistant.</li> <li>4. outsole is abrasion resistant and Contract.</li> <li>5. Ankle protection, energy absorption on the heel seat region, strengthening toe and heel</li> <li>6. resistant at low temperatures.</li> </ol>
Guarantee:	5 months, robust and solid quality.
Package:	1 pair per poly bag, 10 pairs per carton
Carton Size	43x43x45cm
amount of load containers:	3250 pairs / container 1x20 ' 6500 pairs / container 1x40 ' 8100 pairs / HQ container 1x40 '

#### FAQ:

**1.Question: What is your MOQ?**

---- Our MOQ is 1000 pairs per style with mixed size.

**2.Question: Can I request samples of a pair before to order?**

---- Yes, we can send you a free sample of the pair that your quality check, but customer need to pay the courier cost by themselves, such as DHL, TNT, FedEx, EMS, etc.

**3.Question: Do you have CE certificate, we need to clear the custom?**

---- Yes, our products can meet CE standards and we have cooperative relations with various international laboratories, including Intertek UK, France CTC SABS from South Africa, etc. .

**4.Question: What is your payment, how can we pay you?**

---- Our company can accept both T / T payment and L / C. If you have other payment requirements, leave please message or contact our online seller directly.

**5. Question: What is the quality guarantee period?**

---- This PVC rain boots sytle are offered quality guarantee 5 months after shipment. If the rain boots are broken in five months please contact us, we will compensate you new shoes without payment.

Other color mining PVC safety rain boots:

CE



CE



CE



CE



The certificate of PVC safety rain boots:

# EC Type Examination Certificate



### Approved Body 0362

The safety footwear detailed herein meets the criteria of an EC Type Examination in accordance with Article 10 of the PPE Directive (89/686/EEC) including amendments and corrigendum up to 14/12/2010 for intermediate design category products.

This has been shown through satisfactory testing to EN ISO 20345:2011 and examination of the Technical File Documentation.

Following an EC Declaration of Product Conformity you are hereby licensed to mark the product(s) detailed in accordance with Article 13 of the PPE Directive (89/686/EEC).

ITS Testing Services (UK) Ltd  
Centre Court  
Meridian Business Park  
Leicester, LE19 1WD  
United Kingdom  
Phone: +44 (0)115 263 0300  
Fax: +44 (0)115 263 0311



[www.intertek.com](http://www.intertek.com)

<b>Issued to</b>	: Harbin Ana Safety Products MFG. Co., Ltd. Lixin Village, Xinhua Town, Acheng District, Harbin, Heilongjiang Province, China	
<b>Authorised Representative</b>	: Heilongjiang Safer Co., Ltd. RM502 Pufa Plaza, No. 209 Changjiang Road, Harbin, China	
<b>Manufacturer</b>	: Harbin Ana Safety Products MFG. Co., Ltd. Lixin Village, Xinhua Town, Acheng District, Harbin, Heilongjiang Province, China	
<b>Date of issue</b>	: 14 May 2015	
<b>Expiry Date</b>	: 14 May 2020	
<b>Certificate No.</b>	: LEC FI00348758	
<b>Product Reference(s)</b>	: BBS (GBS) PVC Safety Boots	
<b>Description</b>	: Construction	: Injection
	: Toecap	: 459 Steel Toecap
	: Midsole	: OY# 160 Steel Plate
	: Last	: HA-459
	: Sole	: PVC & Nitrile
	: Mould	: HA-S
	: Test Report(s)	: GZHT90504055, GZHT90391794
	: Size Range	: EUR 36 - 47
	: Category	: S5 SRA

*M. Lutz*  
Assessor

14/05/2015

Date

*P. Wilkinson*  
Certification Manager

14/05/2015

Date

For and on behalf of ITS Testing Services (UK) Limited

Registered in England No. 1498264 Registered Office: Academy Place, 5 & 6 Bank Street, Birmingham, B2 5 3JG

This certificate is for the exclusive use of Intertek Client with an implied copyright by the Certificate recipient towards Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the Agreement. Intertek does not accept liability to any third party. It is the Client's responsibility to ensure compliance with the agreement. For any issue, request or change requirements the user of this Certificate. Only the client is authorised to print copies on behalf of the Certificate and their only to be printed. Use of Intertek's Certificate mark is restricted to the conditions set out in the agreement and Intertek Certificate. Any further use of this mark may harm the data or advertisement of the client's product or services that may be approved in writing by Intertek.