

| | |
|--|---|
| Product Name: | mining pvc men rain boots |
| Item No: | GGS |
| rain boot color | Green upper with Green sole |
| Cut | 36-47 (13/2) |
| size | 39CM (full height), 34CM (height), 29CM (low height) |
| Average weight | 2.5kgs / PAIR (with steel toe and steel plates) |
| upper material | 100% pure PVC material + Plasticizer for both sole and (easy to wash) |
| lined rain boots | Polyester (easily dried Fabric) |
| Construction | PVC injection |
| Standard | Meet CE EN ISO 20345 standard (with steel toe and steel plates) |
| Shockproof (Steel Toe Protection) | Meet 200 Joule |
| Compression Resistant (Steel Toe Protection) | Meet Newton 1500 |
| Puncture (steel skid plate) | Meet Newton 1100 |
| Characteristics | <ol style="list-style-type: none"> 1. Water / Acid / Alkali / oil / grease resistant, non-slip, anti-static rubber boots. 2. Steel toe can be Impact & amp; amp; compression resistant. 3. steel plate can be puncture resistant. 4. outsole is abrasion resistant and Contract. 5. Ankle protection, energy absorption on the heel seat region, strengthening toe and heel 6. resistant at low temperatures. |
| Guarantee: | 5 months, robust and solid quality. |
| Package: | 1 pair per poly bag, 10 pairs per carton |
| Carton Size | 43x43x45cm |
| amount of load containers: | 3250 pairs / container 1x20 ' 6500 pairs / container 1x40 ' 8100 pairs / HQ container 1x40 ' |

Green upper green sole mining pvc rain boots:

CE



CE



CE

